







PENRYN PLASTICS



CORNWALL'S LEADING PVC SUPPLIER




trade catalogue

issue 10

www.penrynplastics.co.uk






PENRYN PLASTICS

Penryn Plastics was established in 1986 with the aim of supplying quality plastics at affordable prices. We remain a family run business with a knowledgeable and friendly team to welcome and advise both Trade and Retail customers.

Our Catalogue shows the majority of what we have available in store but we are able to source many other specialised products. Please just ask; we will always do our very best to help you find what you need.

Convenient and ample parking is available.



PENRYN PLASTICS

Kernick Road, Kernick Industrial Estate
Penryn TR10 9LY

Telephone: 01326 376030

Email: info@penrynplastics.co.uk

Web: www.penrynplastics.co.uk

The colours shown in this catalogue are as accurate as the printing process will allow.

DO NOT STORE PRODUCTS
IN DIRECT SUNLIGHT
WITHIN ORIGINAL PLASTIC
PACKAGING.

IT IS ADVISED THAT ALL
PROTECTIVE FILM BE
REMOVED FROM
PRODUCTS IMMEDIATELY
AFTER FITTING.



buywithconfidence.gov.uk
Cornwall Council

Fitting Service



We have a specialised Fitting Team, trained to fit Fascia, Gutter, External Cladding, Composite Decking & Roofing Sheets. Please contact us to arrange a quote. Our Fitting Service Manager will visit your property to measure up and discuss your requirements.

Testimonials

"I was delighted with Penryn Plastics and have already recommended them to friends. Alex greeted me at the showroom and showed me the full range of colours and finishes available. Within days he had been out to my property to explain how the work would be carried out, time frame and price. The workmen were friendly, professional and timely. I am very pleased with the results."

"Lovely guys, really could not have been more helpful. Would definitely use them again."

"I would have no hesitation in recommending Penryn Plastic fitting service. We have established a good working relationship with the team, their attention to detail, as well as listening to our requirements has been fantastic."

"Now the cladding of our house is complete, me and my wife would like to give your company Penryn Plastics full praise on a professional and smart job. The chaps were very professional and did an extremely good job, quick and efficient. The cladding has enhanced what was a very ordinary 60s chalet bungalow and gave it a more up to date look. We have received many compliments from passers-by and enquiries about the cladding."



CONTENTS

Hunter PVC Guttering	4
PVC Cast Iron Effect Guttering	7
Aluminium Gutter System	8
Underground Drainage	9
Soil & Waste	11
Lead Flashing & Manhole Covers	14
Solvent & Compression Waste	15
Miscellaneous & Fixings	16
Water & Drainage Pipe	17
Plumbing Products	17
Fascia, Capping, Architraves	20
External Cladding	21
Woodgrain Roofline	22
Clear Acrylic Sheet, Tube & Rod	23
Ventilation	24
Hygienic Cladding	25
Multipanel	26
GeoPanel Decorative Cladding	27
Polycarbonate Roofing	28
Glazing System	29
PVC Corrugated Roofing Sheets	30
Corrugated Bitumen Roofing Sheets	31
Sealants & Adhesives	32
Artificial Grass & Composite Decking	34
Miscellaneous & Sundries	35
Garden & Storage	36
Workwear & Tools	37
Trims & Seals, Dry Verge, Drainage Channel	38
Ladders	39
Coloured Acrylic	40

ALL GUARANTEES & WARRANTIES ARE SUBJECT TO ADHERENCE OF MANUFACTURERS INSTALLATION INSTRUCTIONS

Hunter Rainwater Systems

Surefit

The Surefit system, unique to Hunter allows gutters to be simply and quickly fitted.

The Surefit integral pivoted clips allow fast, simple, 'snap lock' assembly of gutter.

Fixing wings allow easy, fast fixing, whether using hand or power tools. Integral, pre-lubricated EPDM seal is robust and watertight.

Together these innovative features reduce assembly and installation time saving valuable time and money.






















RAINWATER SYSTEMS

designed to suit every application

















		HALF ROUND 76mm		HALF ROUND 112mm		HIGHFLO		STORMFLO	
		Colour	Code	Colour	Code	Colour	Code	Colour	Code
GUTTER 	2m length	GBVW	R513	GBVW	R511				
	4m length			GBVW	R512	GBW	R515	GB	R740
BRACKETS 	Joint	GBVW	R37	GBVW	R8	GBW	R42	GB	R708
	Support (1 screw)	GBVW	R36	GBVW	R10				
	Support (2 screw)					GBW	R452	GB	R710
ANGLES 	90° External	GBVW	R29	GBVW	R5	GBW	R451	GB	R705
	120° External			BVW	R6				
	135° Internal	GBV	R31	GBVW	R7			GB	R707
	90° Internal	GBVW	R29	GBVW	R5	GBW	R451	GB	R705
	135° External	GBV	R31	GBVW	R7			GB	R707
OUTLET 	Running	GBVW	R32	GBVW	R11	GBW	R454	GB	R711
	Stopend	GBV	R33	GBVW	R12	GB	R455		

COLOUR GUIDE G Grey B Black V Van Dyke Brown W White

		HALF ROUND 76mm		HALF ROUND 112mm		HIGHFLO		STORMFLO	
		Colour	Code	Colour	Code	Colour	Code	Colour	Code
STOPEND 	External	GBVW	R34	GBVW	R13	GBW	R402	GB	R713
	Internal								
PLAIN ENDED PIPE 	2m length	GBVW	R522						
	2.5m length			GBVW	R519				
	3m length					GBW	S508		
	4m length			GBVW	R520			GB	S535
	5.5m length			GBVW	R521				
CONNECTOR 	Pipe	GBVW	R38	GBVW	R17	GBW	S208	GB	S406
	Round spigot/square			GBVW	R397				
	Multipurpose Flexible			B	DS24				
BRACKET 	1 screw	GBVW	R39	GBVW	R19	GBW	S217	GB	S412
	2 screws			GBVW	R46	GBW	S219		
BEND 	92.5°			GBVW	R577				
	112.5° Offset	GBVW	R40	GBVW	R20	GBW	S270	GB	S424
BRANCH 	112.5°			GBVW	R22				
SHOE 		GBVW	R41	GBVW	R21	GBW	S266	GB	S436
ADJUSTABLE OFFSET 	min 22mm max 80mm			BVW	R24				
ACCESS PIPE 				GB	R1	GB	S309		
REDUCER 	68mm Spigot to 50mm Spigot	GBW	R666						
	 110mm Spigot x 50mm Socket	GW	S264						
	 82mm Spigot to 68mm Socket			G	R4				
	 110mm Socket to 68mm Socket			B	R3				
DRAIN LEAF GUARD 		B	DS500	B	DS500	B	DS500	B	DS500
OUTLET LEAF GUARD 				B	RV225				
HOPPER HEAD 				GBVW	R14	GBW	R465		



COLOUR GUIDE G Grey B Black V Van Dyke Brown W White

		SQUAREFLO		REGENCY		125		125	
		Colour	Code	Colour	Code	Colour	Code	Colour	Code
GUTTER 	2m length	BVW	R516						
	4m length	BVW	R517	BVW	R896	GBVW	R640		
BRACKET 	Joint	BVW	R379	BVW	R908	GBVW	R608		
	Support (1 screw)	BVW	R378						
	Support (2 screws)	BVW	R395	BVW	R910	GBVW	R610		
ANGLE 	90° External	BVW	R383	BVW	R935	GBVW	R605		
	120° External	BVW	R374						
	135° External	BVW	R375	BVW	R937	GBVW	R607		
	150° External	VW	R370						
	90° Internal	BVW	R383	BVW	R945	GBVW	R615		
	120° Internal	BVW	R374						
	135° Internal	BVW	R375	BVW	R947	GBVW	R617		
OUTLET 	Running	BVW	R376	BVW	R911	GBVW	R611		
	Stopend	BVW	R394					GBVW	R682
STOPEND 	External	BVW	R380	BVW	R913	GBVW	R613		
	Internal	BVW	R381	BVW	R902	GBVW	R602		
PLAIN ENDED PIPE 	2.5m length	BVW	R525			GBVW	R519		
	4m length	BVW	R526	BVW	R893	GBVW	R520	GBVW	R700
	5.5m length	BVW	R320			GBVW	R521		
CONNECTOR 	Pipe	BVW	R389	BVW	R917	GBVW	R17	GBVW	R717
	Drain Flexible	B	DS24						
BRACKET 	Stand Off (2 screw)	BVW	R388	BVW	R919	GBVW	R46	GBVW	S612
	Single Fixing	BVW	R371			GBVW	R19		
	Close to Wall (2 screws)	BVW	R373						
BEND 	92.5°	BVW	R393						
	112.5°	BVW	R390	BVW	R920	GBVW	R20	GBVW	R720
BRANCH 	112.5°	BVW	R392	BVW	R922	GBVW	R22	GBVW	R722
SHOE 		BVW	R391	BVW	R921	GBVW	R21	GBVW	R721
ADJUSTABLE OFFSET 		BVW	R399			BVW	R24		
MULTI-POSITIONAL OUTLET 	Square/Round Downpipes			BVW	R400				
ADAPTOR 	Square/Round	BVW	R397	BVW	R924				
	Swivel - 82mm socket to square pipe	BVW	R396						
REDUCER 	110mm Socket to 68mm Socket	B	R3						
	82mm Spigot to 68mm Socket		G	R4					
HOPPER HEAD 		GBVW	R14						

GUTTER	106mm Ogee		115mm Anthracite Deep		112mm Anthracite Round		114mm Anthracite Square	
	Colour	Code	Colour	Code	Colour	Code	Colour	Code
4m Gutter	BW AG	BMO82	AG	BMDAG72	AG	BMRAG42	AG	FFSAG400
Fascia Bracket	BW AG	BMO83	AG	BMDAG73	AG	BMRAG43	AG	FFSAG609
Top Hung Fascia Bracket	BW AG	BMO833						
Union Bracket	BW AG	BMO84	AG	BMDAG74	AG	BMRAG44	AG	FFSAG602
Running Outlet	BW AG	BMO85	AG	BMDAG75	AG	BMRAG45	AG	FFSAG605
Stopend Outlet R/H	BW AG	BMO856R						
Stopend Outlet L/H	BW AG	BMO856L						
External Stopend			AG	BMDAG77	AG	BMRAG47	AG	FFSAG607
External Stopend R/H	BW AG	BMO087R						
External Stopend L/H	BW AG	BMO087L						
90° External Gutter Angle	BW AG	BMO088E	AG	BMDAG78	AG	BMRAG488	AG	FFSAG603
90° Internal Gutter Angle	BW AG	BMO088I	AG	BMDAG78				
45° External Gutter Angle	BW AG	BMO089E						
45° Internal Gutter Angle	BW AG	BMO089I			AG	BMRAG49		
Internal Stopend					AG	BMRAG46	AG	FFSAG608

DOWNPIPE						
Downpipe 4.0m				AG	BMRAG203	
Pipe Coupler	Compatible with Round & Square Downpipe	Compatible with Round Downpipe			AG	
Pipe Connector			AG	BMRAG206		
92.5° Offset Bend			AG	BMRAG208		
135° Pipe Bend						
90° Bend					AG	FFSAG524
Downpipe Bracket			AG	BMRAG207		
Downpipe Head			AG	BMRAG211		
112.5° Offset Bend			AG	BMRAG209		
Downpipe Clip			AG	FFSAG526		
Shoe			AG	FFSAG528		
Y Branch			AG	BMRAG218	AG	FFSAG529

COLOUR GUIDE B Black W White AG Anthracite Grey

Cast Iron Effect Rainwater System



Cascade is a range of cast iron effect guttering and downpipe profiles which provides authentic traditional cast iron style in plastic.

GUTTER	Cast Iron Effect 1/2 Round		Cast Iron Effect Ogee	
	Colour	Code	Colour	Code
2m Gutter	B	BR41CI	B	BR81CI
4m Gutter	B	BR42CI	B	BR82CI
Fascia Bracket	B	BR43CI	B	BR83CI
Union	B	BR44CI	B	BR84CI
Running Outlet	B	BR45CI	B	BR85CI
Stopend Outlet R/H			B	BR856RCI
Stopend Outlet L/H			B	BR856LCI
External Stopend R/H	B	BR47CI	B	BR87RCI
External Stopend L/H	B	BR47CI	B	BR87LCI
90° External Gutter Angle	B	BR48CI	B	BR88ECI
90° Internal Gutter Angle	B	BR48CI	B	BR88ICCI
135° External Gutter Angle	B	BR49CI	B	BR89ECI
135° Internal Gutter Angle	B	BR49CI	B	BR89ICCI
Internal Stopend	B	BR46CI		

DOWNPIPE	Cast Iron Effect	
	Colour	Code
Downpipe 1.83m with Ears	B	BR2018LCI
Pipe Coupler with Ears	B	BR206LCI
Pipe Coupler Plain	B	BR206CI
92.5° Pipe Bend	B	BR208CI
135° Pipe Bend	B	BR219CII
Downpipe Clip	B	BR207LCI
112.5° Offset Bend	B	BR209CI
Shoe with Ears	B	BR216CI
Offset Projection 112.5° 75mm	B	BR275CI
Offset Projection 112.5° 115mm	B	BR2115CI
Offset Projection 112.5° 150mm	B	BR2150CI
Offset Projection 112.5° 230mm	B	BR2230CII
Offset Projection 112.5° 380mm	B	BR2380CI
Offset Projection 112.5° 455mm	B	BR2455CI
Branch 112.5°	B	BR218CI
Branch 135°	B	BR220CI

Cast Iron Effect Colours Available to Order

- Anthracite Grey
- Graphite Grey
- Olive Green
- Chartwell Green
- Oxford Blue
- Sandstone
- Classic Black
- Porcelain White



Aluminium Rainwater System

123mm HALF ROUND

GT513H	Gutter 3m length
GT580H	Fascia Bracket
GT520H	Gutter Union
GT522H	Running Outlet
GT550H	Internal Stopend
GT555H	External Stopend
GT532H	Gutter Angle 90°
GT537H	Gutter Angle 135°

EVOLVE DOWNPIPE


RT213H	Plain Ended Downpipe 3m
RT220H	Pipe Socket (Eared)
RT230H	92.5° Pipe Bend
RT242H	Branch
RT232H	Top 112.5° Bend
RT292H	Bottom 112.5° Bend
RT250H	Shoe
RT280H	Downpipe Clip
RTD25H	Rainwater Diverter

TUDOR DOWNPIPE

TR212H	Socketed Downpipe 2m
TR213H	Socketed Downpipe 3m
TR220H	Pipe Socket (Eared)
TR230H	92.5° Pipe Bend
TR232H	112.5° Pipe Bend
TR240H	Branch 92.5°
TR242H	Branch 112.5°
TR250H	Shoe
TR280H	Downpipe Clip
TRD25H	Rainwater Diverter

HOPPERS

TH101H	Standard Hopper
TH301H	Ornamental



We are now able to offer Evolve Half Round Gutter and Downpipes along with the all new Tudor Pipe System from stock (Heritage Black only). The perfect rainwater system for Heritage and Period Style Properties.

- Life expectancy of 50 years
- Polyester powder coating for a hardwearing finish
- Marine grade aluminium
- 75% lighter than an equivalent cast iron system
- It will never rust or fade
- Near zero maintenance
- Fast and simple to install
- Clicks together like PVC
- Provides a leak free joint
- Available from stock (Heritage black only)
- 21 RAL Standard Colours
- Hundreds of non-standard colours



Hunter Underground Drainage

Hunter Plastics drainage systems, economical, high performance products to meet the needs of today's drain laying market. Providing value-for-money drainage solutions.

- Economical & reliable
- Simple to install
- Durable and impact resistant
- A full range available to suit any situation

Hunter drain and sewer pipes are manufactured to the European Standard BS EN 1401 and BS 4660 with stiffness class SN4



UNDERGROUND






















a comprehensive range of drainage systems for domestic, commercial and industrial use

COLOUR GUIDE

B = Black, G/B = Golden Brown

		110mm		160mm	
		Colour	Code	Colour	Code
PIPE	Plain Ended 3m	G/B	DS505		
	Socketed 6m	G/B	DS549	G/B	DS550
	Land Drainage Socketed 6m	G/B	DS546		
SOCKET	Double	G/B	DS211	G/B	DS409
	Slip Coupling	G/B	DS212	G/B	DS410
JUNCTION SINGLE EQUAL	87.5° Spigot Tail	G/B	DS269	G/B	DS427
	45° Spigot Tail	G/B	DS278	G/B	DS430
	87.5° Exp. Tail	G/B	DS672		
	45° Exp. Tail	G/B	DS678		
JUNCTION SINGLE UNEQUAL	45° Spigot Tail			G/B	DS471
	ACCESS CAP Spigot Tail	G/B	DS246	G/B	DS421
SOCKET PLUG		G/B	DS214	G/B	DS411
ACCESS BEND 87.5°		G/B	DS326		
RODDING POINT Exp. Tail		G/B	DS670		
SEALED ACCESS		B	DS47		
ACCESS PIPE Spigot Tail		G/B	DS309		
DRAIN LEAF GUARD	Accepts Rainwater Pipes up to 110mm diameter To cover drains up to 300mm wide x 265mm	B	DS500		

		110mm	
		Colour	Code
COMPACT RAINWATER GULLY	110mm Inlet/Outlet Adapts to accept Regency, Squareflo and 82mm pipes	B	DS42
REDUCER	Regency, Squareflo and 82mm Pipes x 110mm Socket	B	R767
SQUARE HOPPER	Solv. Skt. Tail	G/B	DS3
BACK INLET HOPPER	Solv. Skt. Tail	G/B	DS7
GULLY ACCESSORIES			
	150 x 150mm Grating	B	DS20
	150 x 100mm Back Inlet Plate	B	DS11
	150 x 150mm Sealed Cover Plate	B	DS22
	150 x 250mm Sealed Back Inlet Plate	B	DS10
GULLY TRAP		G/B	DS1
BOTTLE GULLY			
	Circular Top (Includes Grid and Rodding Access)	G/B	DS46
	Square Top Accessory (Use with DS46) 200mm x 200mm	B	DS54
	Circular Grid-Spare (Use with DS46, DS49 or DS54)	B	DS55
	Raising Piece for DS46, DS49 & DS54	G/B	DS48
	150mm x 150mm Sealed Access (Also fits 110mm & 160mm pipes)	B	DS47

		110mm		160mm		
		Colour	Code	Colour	Code	
BEND		Spigot Tail 87.5°	G/B	DS322	G/B	DS403
		Spigot Tail 45°	G/B	DS331	G/B	DS404
		Spigot Tail 30°	G/B	DS318	G/B	DS418
		Spigot Tail 15°			G/B	DS408
		Adaptor Spigot Tail 20°	G/B	DS696		
		Adaptor Spigot Tail 10°	G/B	DS697		
		Adjustable Bend 5 - 30°	G/B	DS329		
		Exp. Tail 87.5°	G/B	DS671	G/B	DS431
		Exp. Tail 45°	G/B	DS676	G/B	DS432
		Exp. Tail 30°	G/B	DS675		
		Exp. Tail 20°	G/B	DS674		
		Exp. Tail 10°	G/B	DS673		
LONG RADIUS		456mm 87.5°	G/B	DS555		
		456mm 45°	G/B	DS557		
		686mm 87.5°			G/B	DS556
		686mm 45°			G/B	DS558
REST BEND		87.5°	G/B	DS663		
REDUCER LEVEL INERT		110 x 82mm 160 x 110mm	G/B	DS633	G/B	DS433
NON RETURN VALVE			G/B	DS342	G/B	DS442
DRAIN CONNECTORS		PVC-U to CI BS437 Skt	G	S121		
		PVC-U to Vitrified Clay	B	DS350		
		PVC-U to Thinwall Clayware Spigot	G/B	DS351		
		Inspection Chamber to Thickwall Clay Pipe	B	DS347		
		Inspection Chamber to Thinwall Clay Pipe	B	DS348		
		Multi Rainwater Adaptor (Flexible)	B	DS24		
		32/40mm Waste Adaptor (Flexible)	B	DS25		
	Easisleeve PVC-U to Clay Pipe Adaptor	B	MAC1362	B	MAC1801	
	PVC-PVC Adaptor	B	DS28			
CHAMBERBASE 450mm dia		Sockets supplied with 3 blanking plugs (no additional seals required)	B	DS50		
		Spare Blanking Plug (For DS50/DS71)	B	DS56		
RAISING PIECE 450mm dia		(160mm effective height) reversible for DS50 and DS57	B	DS58		
		Cover and Frame (Class C)	B	DS62		
450mm UNEQUAL CHAMBERBASE 360mm INVERT		Side Sockets supplied with Blanking Plugs			B	DS66
CHAMBERBASE SEAL		(For DS66 Base to first Riser only)			B	DS67

SHALLOW ACCESS 230mm dia



Sockets supplied with 2 blanking plugs (no additional seals required)



Raising Piece (205mm effective height)



PVC-U Frame and Cover - Round (Sealed unit)



PVC-U Frame and Cover - Square

'O' Ring to form sealed Access (For DS39 only)

110mm	
Colour	Code
B	DS71
B	DS72
B	DS69
B	DS68
B	DS40

1000mm CHANNEL



130mm	
Colour	Code
B	CLARK01
B	CLARK07

END CAP/OUTLET



Fits Left Hand or Right Hand


DEBRIS TRAP



For Bottom Outlet

BOTTLE GULLIES

- Ideal for domestic, industrial and commercial installations.
- Accepts waste or rainwater pipework from 32mm to 110mm in size.
- Includes rodding access.



Square top Bottle Gully fits into paved areas

Bottle Gully complete with raising piece

Bottle Gully installed with sealed access

BANDED RUBBER COUPLINGS

MAC0502	40-50mm to 32-40mm
MAC1362	121-136mm to 100-115mm
MAC1501	135-150mm to 100-115mm
MAC1602	144-160mm to 110-125mm
MAC1801	160-180mm to 100-115mm
MAC1922	170-190mm to 110-115mm
MAC1924	170-192mm to 144-160mm
MAC2105	185-210mm to 144-160mm
MDC100	100mm to 100mm
MDC115	100mm to 115mm
MDC40	32mm to 40mm
MDC50	42mm to 50mm
MDC65	55mm to 65mm
MDC89	75mm to 89mm



















Hunter Multikwik










PLUMBING PRODUCTS

high quality wastetraps, accessories and WC connectors


COLOUR GUIDE
 = White

		32mm		40mm	
		Colour	Code	Colour	Code
BOTTLE	 Standard	W	B032	W	B040
	 Compact 38mm Seal	W	B032S		
	 Resealing	W	B032R	W	B040R
	 Anti-Vac	W	B032V	W	B040V
	 Adjustable Inlet	W	B032A	W	B040A
	 Adjustable Inlet Resealing	W	B032RA	W	B040RA
TUBULAR SWIVEL 'P'	 Adjustable Inlet	W	P032	W	P040
		W	P032A	W	P040A
TUBULAR SWIVEL 'S'		W	S032	W	S040
RUNNING		W	RP032	W	RP040
STRAIGHT THROUGH	 (Pedestal Trap) 32mm x 32mm inc. Cleaning Eye	W	ST032		
SHOWER	 50mm Seal - Compact design White Outlet Chrome Outlet			W	S5040W
				W	S5040C
BATH	 One piece - 19mm Seal			W	P1940
	 Low Level - 50mm Seal			W	P5040
	 Swivel 'P' Low Level Inlet			W	P040L
	 Low Level - Overflow Plug and Chain - 50mm Seal			W	P5040F

ALL PURPOSE TAIL

 90°	W	MKB2190
 Space Saver	W	MKBAR90
 Incorporates Waste Boss 90°	W	MKBB3190
 14°	W	MKB114
 Straight Connector	W	MKRS2
 40mm Offset Connector	W	MK04
 Extension Piece (reducible length)	W	MKEA


PIPE - Plain Ended










 1 metre	W	S204
---	---	------

ANTI-VAC

 In-line Anti-Vac	W 32mm	WV032
	W 40mm	WV040

INTERNAL DRAIN CONNECTORS

 S460 110mm to 32/40mm		
 S462 110mm to 50mm		
 S89 Blanking Plug		

		40mm	
		Colour	Code
WASHING MACHINE			
	Inc. Standpipe	W	PWM040
	Compact Tee Inlet	W	PWM040T
	Utility 'P' Single Nozzle	W	PWM040S
	Utility 'P' Double Nozzle	W	PWM040D
	Utility 'S' Single Nozzle	W	SWM040S
	Utility 'S' Double Nozzle	W	SWM040D
SPACE SAVER KIT			
	Single Bowl - Double Nozzle	W	SBK040D
SPACE SAVER			
	Single Bowl	W	SBSK040
BOWL KIT			
	1.5 Bowl - Single Nozzle	W	XSB040S
	Double Bowl - Single Nozzle	W	DBK040S
BASIC WASTE KIT			
	Combined Sink Waste & Overflow	W	CWS01
	Combined Bath Waste & Overflow	W	CWB01
WASTE KIT			
	With Overflow Kit Circular	W	W4070RF
	Bath Waste and Overflow	W	W040F
	Combined Bath Waste and Overflow Including pop-up	W	WPU040C
TRAP ADJUSTING PIECE			
	Single Nozzle	W	WA040S
	Double Nozzle	W	WA040D
TRAP HOSE NOZZLE			
		W	NK001

GASKET



For use with BS1213 Pans
Fits all
110mm Expansion Sockets

W S248










Fits S252


















W S291
























SOIL PIPE & FITTINGS

		82mm		110mm	
		Colour	Code	Colour	Code
PIPE - Plain Ended					
	1 metre			W	S204
	3 metre			GBW	S505
	4 metre			B	S506
PIPE - Socketed					
	2 metre			GB	S507
	3 metre	G	S602	GBW	S508
	4 metre			GB	S509









		82mm		110mm	
		Colour	Code	Colour	Code
SINGLE SOCKET		GB	S604	GBW	S208
SLIP COUPLING		G	S605	GBW	S211
CONNECTOR TO OTHER MATERIALS				GB	S121
Finned tail for Universal Connection					
BRACKET					
	Pipe 1 screw			GBW	S217
	Pipe 2 screws	GBW	S612	GBW	S219
	Socket	GB	S607	GBW	S220
	Pipe/Socket			Galv	S570

	82mm		110mm	
	Colour	Code	Colour	Code
BOSS PIPE (Spigot Tail)  50mm Open Boss (82mm one boss only)	G	S608	GBW	S244
SHORT BOSS PIPE *Accepts B55255 and B55254 Pipes  *32mm Exp. Skt. *40mm Exp. Skt. 50mm Solv. Skt. For 32/40mm solv. weld use S218 & W717 or W718 waste reducer			GBW	S216
			GBW	S215
			GB	S218
STRAP BOSS  50mm Spigot (Bolt not supplied)	G	S610	GBW	S343
WASTE MANIFOLD  For 32mm use with W58 For 40mm use with W59 For 50mm use with W725			G	S200
ACCESS PIPE  Solv. Skts.  Spigot Tail	GB	S616	GBW	S310
			GB	S309
ACCESS SADDLE  (Direct fix to pipework)			G	S337
SOCKET PLUG  Also for on-site Socket protection			G	S214
ACCESS CAP  Spigot Tail	G	S618	GB	S246
			G	S667
ADAPTOR BEND  160 to form 92.5 170 to form 104			G	S323
			G	S324
ACCESS BEND  92.5			GBW	S326
BEND  92.5 Spigot Tail	GB	S619	GBW	S322
			G	S319
			GBW	S671
			G	S325
 104 Spigot Tail			G	S325
	GB	S621	GBW	S331
			GBW	S293
 135 Spigot Tail			GBW	S294
 92.5 Double Solv. Skt.			GBW	S293
			GBW	S294
 92.5 Long Spigot Tail Solv. Skt.			GBW	S299
 Adjustable Bend 5-30			G	S329

	82mm		110mm	
	Colour	Code	Colour	Code
OFFSET BEND  Top Bottom 112.5 Spigot Tail 112.5 Spigot Tail	GB	S631	GBW	S270
	G	S700	GBW	S271
ACCESS BRANCH  92.5 No Boss Shoulders			GB	S281
BRANCH (Single Equal) Exp. Skt. Spigot Tail – Closed Bosses  92.5 104 Exp. Skt./Spigot Tail – No Bosses  92.5 112.5 135	GB	S611	GBW	S269
			GB	S272
			GB	S334
			GB	S336
	G	S614	G	S278
DOUBLE BRANCH  Triple Exp. Skt. (Fabricated)			GB	S295
CORNER BRANCH  Triple Exp. Skt. (Fabricated)			G	S296
AIR ADMITTANCE VALVE  Solv. Skt. Tail Polystyrene Insulator (for S450)			W	S450
			W	S451
REDUCER (Level Invert)  82mm x 50mm Accepts 50mm Solvent Pipe  110mm x 50mm Spigot accepts Push-Fit or Solvent Boss Adaptor  110mm x 82mm (Exp. Skt.)  110mm x 32/40mm (Flexible)	G	S668		
			G	S264
			GB	S633
			B	DS25
VENT COWL  Solv. Skt. Tail	GB	S634	GB/W	S355
WEATHERING COLLAR 	GB	S635	GBW	S358
EXTRACT COVER  For Extract Ventilation Pipe	G	RV591	GBW	RV592
WEATHERING SLATE (Aluminium)  Angled 457mm x 457mm	G	S594	G	S594
			G	S590
			G	S590

Flat Roof Drainage		82mm		110mm	
		Colour	Code	Colour	Code
ROOF OUTLET	 Spigot Tail	G	RV637	G	RV369
BOX GUTTER OUTLET	 Spigot Tail	G	RV491		
BALCONY OUTLET	 Solv. Skt. Tail	G	RV195	G	RV196
Boss Adaptors		32mm		40mm	
		Colour	Code	Colour	Code
CREATES SOLVENT CONNECTION TO BOSS For solvent pipe only					
	Straight	GBW	W104	GBW	W106
	90°	use W104 & W113		use W106 & W114	
CREATES PUSH-FIT CONNECTION TO BOSS For Push-Fit and Solvent Pipe					
		B	GW58	B	GW59

Ancillaries and Spares	Colour	Code
250ml Lubricant		SC966
300ml Silicone Spray		SC967
250ml Solvent Cleaner		SC951
125m Solvent Cement BS6209 for PVC		SC953
250ml Solvent Cement BS6209 for PVC		SC954

Overflow System		22mm	
		Colour	Code
PIPE - PLAIN ENDED			
	3m PVC-U (Solvent Weld)	W	O232
UNIVERSAL ADAPTOR			
	Connect to other Push-Fit and Solvent Weld Systems	G	O220
COUPLING			
	Straight	W	O221
BEND			
	90°	W	O222
	135°	W	O223
TEE			
	90°	W	O224
TANK CONNECTOR			
	Straight	W	O225
	90°	W	O226
CLIP			
		W	O245
REDUCING BUSH			
	32mm x 22mm	W	O233

Lead Flashing


Size	150mm	240mm
3m	C41503	C42403
6m	C41506	C42406














Product	Code
Flat Slate	LSF
Pitched Slate	LSP
Lead Sealant	LEADSEAL

COLOUR GUIDE G Grey B Black V Van Dyke Brown W White

Galvanised Manhole Covers




DESCRIPTION	CODE
600mm x 450mm 2.5T Galvanised Cover	MHC1
600mm x 450mm 5.0T Galvanised Cover	MHC2
600mm x 450mm 10.T Galvanised Cover	MHC3
450mm Diameter PVC Inspection Chamber Lid	MHC7
450 Diameter 12.5T Cast Iron Inspection Chamber Lid	MHC10
Reducer for 450mm Diameter Inspection Chamber	MHC14
600mm x 450mm Tray Bottom Cover	MHC4
450mm Diameter Square to Round Recessed Cover	MHC6
600mm x 450mm Sealed & Locking Galvanised Cover	MHC8
300mm Square to Round Recessed Cover	MHC9
Chameleon Recessed Grass Cover	MHC13
450mm Square Inspection Cover	MHC15
C/D 320mm Diameter PVC Inspection Chamber Lid	CLARK06
600mm x 300mm Yard Gully 110mm Outlet	RG300/600
Yard Gully Grating & Frame 340mm x 305mm	RG300GRID

Solvent Weld		32mm		40mm		50mm	
		Colour	Code	Colour	Code	Colour	Code
PIPE - PLAIN ENDED 	3 metre	GBW	W538	GBW	W539	GBW	W709
	1.5 metre	GBW	W537	GBW	W544	GBW	W708
COUPLING (Skt. Tail) 	Straight	GBW	W60	GBW	W61	GBW	W711
BRACKET 		GBW	W118	GBW	W119	GBW	W716
BEND 	Spigot 90°	GBW	W113	GBW	W114		
	Knuckle 90°	GBW	W116	GBW	W117		
	Swept 92.5°	GBW	W78	GBW	W79	GBW	W712
	Swept 135°	GBW	W82	GBW	W81	GBW	W713
TEE 	92.5°	GBW	W84	GBW	W85	GBW	W714
	135°			GW	W88	GW	W715
CROSS 	92.5° 2in BSPT/Solv. Skt.			GW	W574	W	W722 W723
ACCESS CAP 	Spigot Tail	GBW	W90	GBW	W91	GBW	W724
REDUCER 	Spigot/Skt. 50mm x 40mm					GBW	W718
	50mm x 32mm					GBW	W717
	40mm x 32mm			GBW	W57		
	Waste Manifold Adaptor Boss Adaptor for S200	G	W58	G	W59	G	W725
WENT COWL 	Balloon Grating					G	S353
ANTI-SIPHON UNIT 	Spigot Tail Certificate No: 86/1737	W	W150	W	W151		
UNIVERSAL TANK CONNECTOR 	Accepts Push-Fit and Solvent Pipes	GW	W98	GW	W99		



A comprehensive range of high quality soil and waste products to overcome the most complicated drainage installation



Compression Joints		32mm		40mm		50mm	
		Colour	Code	Colour	Code	Colour	Code
COUPLING 		W	P114	W	P115	W	P216
KNUCKLE BEND 	90°	W	P120	W	P121	W	P222
BEND 	135°	W	P126	W	P127	W	P218
TEE 	92.5°	W	P128	W	P129	W	P230
REDUCER 	40mm x 32mm 50mm x 40mm			W	P124	W	P225


COLOUR GUIDE G Grey B Black V Van Dyke Brown W White

Water & Drainage Pipe



Blue Water Pipe

ROLL SIZE	25m	50m	100m
20mm Diameter	BL20025	BL20050	BL20100
25mm Diameter	BL25025	BL25050	BL25100
32mm Diameter	BL32025	BL32050	BL32100
50mm Diameter	BL50025	BL50050	BL50100



Perforated Drainage Pipe

ROLL SIZE	25m	50m	100m
100mm Diameter	LD10025	LD10050	LD100100

ROLL SIZE	50m	
160mm Diameter		LD16050

Clear PVC Tubing

CODE	DESCRIPTION
PCFH12	12mm i.d PVC Clear Tubing per mtr
PCFH19	19mm i.d PVC Clear Tubing per mtr
PCFH25	25mm i.d PVC Clear Tubing per mtr
PCFH32	32mm i.d PVC Clear Tubing per mtr



CODE	TEMPORARY DOWNPIPE
TEMP125	125mm (5") Lay Flat Tube 500G (per m)



Brett Martin Ducting

CODE	DESCRIPTION
BD2	6m Blown Socket Duct Pipe 54mm
BD2B	87 1/2° Long Radius Blown Socket Duct Bend 54mm
BD2C	Duct Coupler 54mm

Access Panels



GL100 Manthorpe Access Panel 150mm x 200mm



GL300 Manthorpe Access Panel 300mm x 300mm

Drain Testers

CODE	DESCRIPTION
BM85/1	100mm Test Plug
BM85/2	150mm Test Plug



Jubilee Clips

CODE	DESCRIPTION
OOO	9 - 12mm Jubilee Clip
MOO	11 - 16mm Jubilee Clip
OO	13 - 20mm Jubilee Clip
O	16 - 22mm Jubilee Clip
OX	18 - 25mm Jubilee Clip
1A	22 - 30mm Jubilee Clip
1	25 - 35mm Jubilee Clip
1X	27 - 40mm Jubilee Clip
1M	32 - 45mm Jubilee Clip
2A	35 - 50mm Jubilee Clip
2	40 - 55mm Jubilee Clip



Plasson Pipe Fittings



Blue Water Pipe – see page 16 for details

COMPRESSION FITTINGS		Size	
		From	to
77010	Coupling	20mm 25mm 32mm 50mm	
7510	Repair Slip Coupling	20mm 25mm 32mm	
77020	Male Adaptor BSP thread	20mm 25mm 32mm	1/2" 3/4" 1"
77040	90° Tee	20mm 25mm 32mm 50mm	
77010D	Reducing Coupling	20mm 25mm 32mm	16mm 20mm 25mm
77030	Female Adaptor BSP thread	20mm 25mm 32mm	1/2" 3/4" 1"
77050	90° Elbow	20mm 25mm 32mm 50mm	
7150	90° Elbow with Threaded Female Offtake	20mm 25mm 32mm	1/2" 3/4" 1"

PLASS4 UNIVERSAL FITTING		Univ Size	
		Range	to
770017	Plass4 Universal Coupling	14 – 18 19 – 22 24 – 28	25 25 25

VALVES		Size	
		From	to
3407	Compression Stoptap Above & Below Ground BS5433 Type	20mm 25mm 32mm	
9055	Wall Plate Elbow	20mm 25mm	1/2" 3/4"

ADAPTORS		Size	
		From	to
7950	Pipe Liner	20mm 25mm 32mm 50mm	
1001C	Dedicated PE to Copper	15mm 15mm	20mm 25mm
7438	Copper Adaptor for Table X and Y	20mm 25mm 25mm	15mm 15mm 22mm

7896 Universal Adaptor for Galvanised, Copper & PVC		Copper / Galvanised	
		20mm	15mm
		25mm	22mm
		Galvanised	
		25mm	1/2"
		32mm	3/4"

Anchoring required

7782 Lead Adaptor		Size	
		25	32
		3/8" 5LB	1/2" 7LB
		1/2" 9LB	3/4" 9LB

7129 Blanking Plug		Size	
		20mm	25mm
		32mm	

ADAPTORS		Size	
		From	to
7786	Low Density Class C Adaptor BS1972 (Light Blue)	20mm 25mm 32mm	1/2" 3/4" 1"
7788	High Density Class C Adaptor BS3284 (Dark Blue)	20mm 25mm 32mm	1/2" 3/4" 1"
7787	Low Density Class D Adaptor BS1972 (Light Green)	20mm 25mm 32mm	1/2" 3/4" 1"
7789	High Density Class D Adaptor BS3284 (Dark Green)	20mm 25mm 32mm	1/2" 3/4" 1"
7995	Normal Gauge Adaptor IS134:1977 (Red)	20mm 25mm 32mm	1/2" 3/4" 1"
7996	Heavy Gauge Adaptor IS134:1977 (Pale Blue)	20mm 25mm 32mm	1/2" 3/4" 1"

STOP TAP CHAMBER		Size
3610	Stop Tap Chamber Complete (No Stop Tap)	725mm



- Parts for 3610
- 3611 Tap Chamber Base
 - 3612 Guard Tube
 - 3613 Sleeve
 - 3614 Surface Box



Hep₂O

The Professional Flexible Plumbing System for Hot and Cold Water and Central Heating





Pipe

Material: Polybutylene. **Colour:** White.

Kitemarked to Class 5 of BS 7291, parts 1 & 2 and is manufactured within a Quality Management System which satisfies BS EN ISO 9001:2008

Description	Nom Dia	Cat No	Pack
	mm		
 STRAIGHT COILED PIPE Straight Coiled Lengths in SmartPack dispensers		Barrier	
	15	HXX25/15	25m
	15	HXX50/15	50m
	15	HXX100/15	100m
	22	HXX25/22	25m
	22	HXX50/22	50m
 CUT LENGTHS		Barrier	
	15	HXX03/15	3m
	15	HXX06/15	6m
	22	HXX03/22	3m
	22	HXX06/22	6m










Hep₂O Demountable Fittings *continued*

Description	Nom Dia	Cat No
	mm	
 TANK CONNECTOR with BSP tail & backnut (For cold water use only)	BSP 1/2"	15 HX20/15
	BSP 3/4"	22 HX20/22
 STRAIGHT TAP CONNECTOR with brass nut and fibre washer	BSP 1/2"	15 HD25A/15
	BSP 3/4"	15 HD25B/15
	BSP 3/4"	22 HD25B/22
 BENT TAP CONNECTOR with brass nut and fibre washer	BSP 1/2"	15 HD27/15
 CONDUIT 22mm x 1m Conduit 29mm OD 22mm x 25m Conduit 29mm OD	22	HXC01/22
	22	HXC25/22

Hep₂O Demountable Fittings

Colour: White. ALL FITTINGS ARE PRE-LUBRICATED






Note: Hep₂O Fittings are fully compatible with Hep₂O pipe and Copper pipe.

Description	Nom Dia	Cat No
	mm	
 SOCKET REDUCER 15mm x 10mm 22mm x 15mm	15	HD2/15
	22	HD2/22
 ADAPTOR 22mm - 3/4" Imperial Copper	15	HD3A/22
 ELBOW 90°	15	HD5/15
	22	HD5/22
 STRAIGHT CONNECTOR	15	HD1/15
	22	HD1/22
 EQUAL TEE	15	HD10/15
	22	HD10/22
 END REDUCED TEE 22mm x 15mm x 22mm	22	HD12/22
 BRANCH REDUCED TEE 15mm x 15mm x 10mm 22mm x 22mm x 15mm	15	HD13/15
	22	HD13/22
 BRANCH REDUCED TEE - SPIGOT 15mm x 15mm x 10mm 22mm x 22mm x 15mm	15	HD15/15
	22	HD15/22
 BRANCH AND ONE END REDUCED TEE 22mm x 15mm x 15mm	22	HD14/22




Hep₂O Auxiliary Fittings

Description	Nom Dia	Cat No
	mm	
 ADAPTOR Male BSP/ Hep ₂ O Socket DZR Brass	BSP 1/2"	15 HX29/15
	BSP 3/4"	22 HX29/22
 ADAPTOR Female BSP/ Hep ₂ O Socket DZR Brass	BSP 1/2"	15 HX28/15
	BSP 3/4"	15 HX24/15
	BSP 3/4"	22 HX28/22
 ADAPTOR Male BSP/ Hep ₂ O Spigot DZR Brass	BSP 1/2"	15 HX31/15
	BSP 3/4"	22 HX31/22
 ADAPTOR Female BSP/ Hep ₂ O Spigot DZR Brass	BSP 1/2"	15 HX30/15
	BSP 3/4"	22 HX30/22
 DRAINCOCK Brass 15mm Spigot	15	HX32/15
 WALL PLATE ELBOW Hep ₂ O	BSP 1/2"	15 HX6/15
	BSP 3/4"	22 HX6/22
 GATE VALVE - HOT/COLD Brass fitted with Hep ₂ O ends (for hot & cold water use)	15	HX35/15
	22	HX35/22

Hep₂O Auxiliary Fittings *continued*

Description	Nom Dia	Cat No
	mm	
 STOPCOCK - COLD WATER fitted with Hep ₂ O ends (for cold water use only)	15 22	HX36/15 HX36/22
 STOPCOCK - COLD WATER Hep ₂ O to MDPE Conversion 22mm to 25mm MDPE	15	HX43/22
 SHUT-OFF VALVE <i>NB: Not for use with central heating</i>	15	HX37/15
 APPLIANCE VALVE	15	HX38/15
 COLD FORMING BEND FIXTURE Metal with passivate finish	15 22	HX75/15 HX75/22

Fitting Components & Ancillaries

Description	Nom Dia	Cat No
	mm	
 BLANKING PEG	15 22	HX44/15 HX44/22
 DEMOUNTING TOOL	15 22	HX79/15 HX79/22
 PIPE CUTTER - Ratchet Type		HD77

Hep₂O sitework - system assembly






In skilled hands the flexible Hep₂O plumbing system guarantees professional sitework

JOINTING PROCEDURE

Whichever type of fitting is being used the same jointing procedure should be followed. All O-ring seals contained in Hep₂O fittings have been pre-lubricated during factory assembly and during normal installation additional lubrication should not be required.

1. When cutting Hep₂O pipe it is essential to use the correct tools; only use the recommended cutters (HD74, HD77, HD78) Do not use a hacksaw. To ensure a secure joint is made cut the pipe square at one of the cutting/insertion marks TM. Place the pipe in the jaws of the cutter and apply pressure until the pipe is severed. Before making a joint ensure the pipe end is free from burrs.
2. Having ensured that there are no burrs, insert a Hep₂O SmartSleeveTM pipe support sleeve into the pipe end.
3. Push the pipe firmly into the fitting, then use Hep₂O's unique In4SureTM joint recognition technology to 'feel' if the pipe is fully inserted
4. To ensure a secure joint has been made, hold the fitting firmly and tug back on the pipe to ensure the grab-ring engages correctly and prevents the pipe withdrawing.

Ancillary Pipe & Fittings

Description	Nom Dia	Cat No
	mm	
 PIPE SUPPORT SLEEVE	15 22	HX60/15 (each) HX60/22 (each)
 PIPE CLIP - SCREW	15 22	HX85/15 HX85/22
 PIPE CLIP - SPACER	15 22	HX86/15 HX86/22
 PIPE CLIP CABLE TYPE	15 22	HX65/15 HX65/22
 CONICAL TAP CONNECTOR WASHER - Rubber	15 22	HX57/15 HX57/22

Jointing with Hep₂O pipe and fittings


Before making a joint using Hep₂O pipe, it is essential to insert a Hep₂O SmartSleeveTM pipe support sleeve into the cut pipe end.



The SmartSleeveTM has several purposes:

- It ensures the pipe retains its circular cross-section.
- It eases insertion of the pipe into the fitting.
- The profiled end of the SmartSleeveTM helps you to check the pipe is fully inserted.
- It maintains the rigidity of the pipe within the fitting.
- It retains the circular cross-section of the pipe under extreme temperatures.
- Barbs on the SmartSleeveTM lock it in the pipe, which helps ensure it is not left in the fitting when demounting.


All SmartSleeveTM pipe inserts are manufactured from 'food quality' 316 stainless steel and are impervious to contaminants.



White PVC-UE Building Products

REPLACEMENT FASCIAS


Code	Description
FFWHF150	150mm x 18mm Square Fascia Board
FFWHF175	175mm x 18mm Square Fascia Board
FFWHF200	200mm x 18mm Square Fascia Board
FFWHF225	225mm x 18mm Square Fascia Board
FFWHF250	250mm x 18mm Square Fascia Board
FFWHF410	410mm x 18mm Square Fascia Board
FFWHFJ	Joint Trim
FFWHFX	External Corner Trim
FFWHFXI	Internal Corner Trim
FFWHFECL	250mm End Cap
FFWHBF150	150mm x 18mm Bullnose Fascia Board
FFWHBF175	175mm x 18mm Bullnose Fascia Board
FFWHBF200	200mm x 18mm Bullnose Fascia Board
FFWHBF225	225mm x 18mm Bullnose Fascia Board
FFWHBF250	250mm x 18mm Bullnose Fascia Board
FFWHBF405	405mm x 18mm Bullnose Fascia Board
FFWHBFJ	Bullnose Joint Trim
FFWHBFX	Bullnose External Corner Trim
FFWHBFXI	Bullnose Internal Corner Trim
FFWHBFECL	Bullnose End Cap
FFWHFIN	310 x 60mm Bargeboard Finial



FFWHF150



FFWHFJ



FFWHBF150



FFWHFECL



FFWHFIN



FFWHL100

FASCIA CAPPING/REVEAL LINERS


Code	Description
FFWHL100	100mm x 10mm Reveal Liner
FFWHL150	150mm x 10mm Reveal Liner
FFWHL175	175mm x 10mm Reveal Liner
FFWHL200	200mm x 10mm Reveal Liner
FFWHL225	225mm x 10mm Reveal Liner
FFWHL250	250mm x 10mm Reveal Liner
FFWHL300	300mm x 10mm Reveal Liner
FFWHL410P	410mm x 10mm Reveal Liner
FFWHL605P	605mm x 10mm Reveal Liner
FFWHLEC	50mm End Cap
FFWHLECL	250mm End Cap
FFWHLJ	250mm Joint Trim
FFWHLX	250mm External Corner Trim
FFWHLXI	250mm Internal Corner Trim
699	Flat Roof Felt Edge Trim

FLAT BOARDS

Code	Description
GPBWH100	100mm x 10mm Multi-purpose Board
GPBWH150	150mm x 10mm Multi-purpose Board
GPBWH175	175mm x 10mm Multi-purpose Board
GPBWH200	200mm x 10mm Multi-purpose Board
GPBWH225	225mm x 10mm Multi-purpose Board
GPBWH300	300mm x 10mm Multi-purpose Board
GPBWH405	400mm x 10mm Multi-purpose Board
GPBWH605	600mm x 10mm Multi-purpose Board



OG1255W




GPBWH100

FLAT BOARDS continued

Code	Description
GPBWHV150	150mm x 10mm Vented Soffit
GPBWHV175	175mm x 10mm Vented Soffit
GPBWHV200	200mm x 10mm Vented Soffit
GPBWHV225	225mm x 10mm Vented Soffit
GPBWHV300	300mm x 10mm Vented Soffit
GPBWHV405	400mm x 10mm Vented Soffit
FFWH106	Panel Joint Trim



GPBWHV150



FFWH106



FLY




30mm Stainless Cladding Nails



25mm Polypins



65mm Polytop Nails



ACCESSORIES


FLY	80mm Wide Self-Adhesive Fly Mesh
30FIXI	30mm Stainless Steel Cladding Nails x 100
25POLYW	25mm Polypins (white) x 100
30POLYW	30mm Polypins (white) x 100
40POLYW	40mm Polypins (white) x 100
50POLYW	50mm Stainless Steel Polytop Nails x 100
65POLYW	65mm Stainless Steel Polytop Nails x 100
EP15	Eaves Protector 1500mm x 200mm

ARCHITRAVES/SMALL TRIMS

Code	Description
FFWHD28	28mm D-Section Trim
5206020	Varitrim Multiple Angle Trim
5209019	19mm Square Trim
FFWHR15	15mm Square Trim
FFWHQ19	19mm Quadrant Trim
FFWHQ15	15mm Quadrant Trim
608012	12mm Quadrant Trim
FFWHA45	40mm x 5.5mm Flat Back Trim
FFWHA65	60mm x 5.5mm Flat Back Trim
FFWHA90	90mm x 5.5mm Flat Back Trim
FFWHZ100	100mm x 80mm Hollow Section Angle
OG0705W	70mm Ogee Architrave/Skirting
OG1255W	125mm Ogee Architrave/Skirting
CD085	85mm x 6m Stub Cill
K150	150mm 6m External Cill




FFWHD28



5209019



FFWHQ19




FFWHZ100



OG0705W



OG1255W



CD085

Fascias, Cladding, Architraves, Trims & Flat Boards are 5m lengths

Cladding

SHIPLAP



Code	Description
FFC151WH	151mm Shiplap Cladding
FFC3023WH	Universal Edge Trim 3m
FFC3153WH	2 Part 'H' Trim 3m
FFCF2123WH	Starter Trim 3m
FFC206WH	Drip Trim 5m
FFC3013WH	2 Part Edge Trim 3m
FFC3043WH	2 Part External Corner Trim 3m
FFC210WH	Individual Butt Joint Trim for FFC151WH
CF050	25 x 25mm Internal Variable Angle Trim
CF100	50 x 50mm Internal Variable Angle Trim

OPEN V-JOINT T&G



Code	Description
FFV100WH	100mm Open V-Joint Cladding
FFC3023WH	Universal Edge Trim 3m
FFC3153WH	2 Part 'H' Trim 3m
FFCF2123WH	Starter Trim 3m
FFC206WH	Drip Trim 5m
FFC3013WH	2 Part Edge Trim 3m
FFC3043WH	2 Part External Corner Trim 3m
FFV209WH	Individual Butt Joint Trim for FFV100WH

HOLLOW T&G

3005F	300mm x 9mm Hollow Section Cladding
-------	-------------------------------------

Fortex Textured Cladding

FORTEX TEXTURED CLADDING

Description

- 5m x 333mm Embossed Double Plank Shiplap Cladding
- 2 Part Edge Trim 3m
- Universal Edge Trim 3m
- 2 Part External Corner Trim 3m
- 2 Part 'H' Trim 3m
- 2 Part Reveal Liner 3m
- Individual Butt Joints for 333mm Cladding
- Starter Trim 3m - White Only
- 25mm Vented Starter Trim 3m
- 25mm Vented Starter & Cover Trim 3m

Dark	Light
FCD333ED	FCD333EL
FC301E3D	FC301E3L
FC302E3D	FC302E3L
FC304E3D	FC304E3L
FC315E3D	FC315E3L
FC319E3D	FC319E3L
FCD210ED	FCD210EL
	FCF2123
	FC3123
FC311E3D	FC311E3L



BEFORE

AFTER

Fortex Double Plank Shiplap Cladding

The Fortex Embossed double plank shiplap cladding range is a popular choice for those seeking a unique textured wood effect appearance with the additional benefits of quick installation and low maintenance.

Fortex Embossed double plank cladding is 333mm wide by 5m long and comes with an extensive range of trims and accessories to ensure a neat and professional finish.

This Fortex cladding comes in a wide range of ten beautiful colours. 170mm weatherboard cladding is also available in 11 colours.



Fortex Dark Colours

Argyl Brown



Colonial Blue



Cappucino



Storm Grey



Slate Grey




Sage Green




Fortex Light Colours

White



Misty Grey



Pale Gold



Sand



Pale Blue (150mm only)



DO NOT STORE PRODUCTS IN DIRECT SUNLIGHT WITHIN ORIGINAL PLASTIC PACKAGING.

IT IS ADVISED THAT ALL PROTECTIVE FILM BE REMOVED FROM PRODUCTS IMMEDIATELY AFTER FITTING.

Woodgrain PVC-UE Building Products

REPLACEMENT FASCIAS 18mm thick	
FFWGF175	5m x 175mm
FFWGF225	5m x 225mm
FFWGF400	5m x 400mm
FFWGFJ	Joint Trim
FFWGFJX	Corner Trim
FFWGFJCL	End Cap
FFWGFJFIN	Finial



CAPPING/REVEAL LINERS 10mm thick	
FFWGL175	5m x 175mm
FFWGL225	5m x 225mm
FFWGL400	5m x 400mm
FFWGLJ	Joint Trim
FFWGLX	Corner Trim
FFWGLJCL	End Cap
FFWGLJFIN	Finial





CLADDING	
FFC151WG	5m x 150mm Shiplap Cladding
FFV100WG	5m x 100mm Open V-Joint Cladding
3005FWG	5mm x 300mm Hollow Soffit

FLAT BOARDS 10mm thick	
GPBWG100	5m x 100mm
GPBWG150	5m x 150mm
GPBWG225	5m x 225mm
GPBWG300	5m x 300mm
FFNG106	H Joint



ARCHITRAVES & TRIMS	
FFWGA45	5m x 40mm Architrave
FFWGA65	5m x 60mm Architrave
FFWGA90	5m x 90mm Skirting
FFWGD28	5m x 28mm D Section
FFWQG12	5m x 12mm Quadrant
FFWQG19	5m x 19mm Quadrant
FFWQZ100	5m x 100mm x 80mm Hollow Angle
OG075WG	70mm Ogee Architrave <i>Mahogany Only</i>
OG1255WG	125mm Ogee Skirting <i>Mahogany Only</i>



Plain Coloured Fascias & Liners


REPLACEMENT FASCIAS 18mm thick	
FFCOF175	5m x 175mm
FFCOF225	5m x 225mm
FFCOF410	5m x 400mm
FFCOFJ	Joint Trim
FFCOFX	Corner Trim
FFCOFJCL	End Cap
FFCOFJFIN	Finial



CAPPING REVEAL LINERS 10mm thick	
FFCOL175	5m x 175mm
FFCOL225	5m x 225mm
FFCOL410	5m x 400mm



FLAT BOARDS 10mm thick	
GPBCO150	5m x 150mm
GPBCO200	5m x 200mm
GPBCO300	5m x 300mm
GPBCO405	5m x 405mm



DO NOT STORE PRODUCTS IN DIRECT SUNLIGHT WITHIN ORIGINAL PLASTIC PACKAGING.
IT IS ADVISED THAT ALL PROTECTIVE FILM BE REMOVED FROM PRODUCTS IMMEDIATELY AFTER FITTING.

Clear Acrylic stock sizes

	2mm Code	3mm Code	4mm Code	5mm Code	6mm Code
150mm x 305mm 6" x 12"	ACR2150305	ACR3150305	ACR4150305	ACR5150305	ACR6150305
150mm x 450mm 6" x 18"	ACR2150450	ACR3150450	ACR4150450	ACR5150450	ACR6150450
305mm x 305mm 12" x 12"	ACR2305305	ACR3305305	ACR4305305	ACR5305305	ACR6305305
305mm x 450mm 12" x 18"	ACR2305450	ACR3305450	ACR4305450	ACR5305450	ACR6305450
305mm x 610mm 12" x 24"	ACR2305610	ACR3305610	ACR4305610	ACR5305610	ACR6305610
610mm x 610mm 2' x 2'	ACR2610610	ACR3610610	ACR4610610	ACR5610610	ACR6610610
610mm x 915mm 2' x 3'	ACR2610915	ACR3610915	ACR4610915	ACR5610915	ACR6610915
610mm x 1220mm 2' x 4'	ACR26101220	ACR36101220	ACR46101220	ACR56101220	ACR66101220
610mm x 1830mm 2' x 6'	ACR26101830	ACR36101830	ACR46101830	ACR56101830	ACR66101830
915mm x 1220mm 3' x 4'	ACR29151220	ACR39151220	ACR49151220	ACR59151220	ACR69151220
1220mm x 1220mm 4' x 4'	ACR212201220	ACR312201220	ACR412201220	ACR512201220	ACR612201220
1220mm x 2440mm 4' x 8'	ACR212202440	ACR312202440	ACR412202440	ACR512202440	ACR612202440

Clear Acrylic Rod



RODCL3	3mm x 2m
RODCL6	6mm x 2m
RODCL10	10mm x 2m
RODCL12	12mm x 2m

Clear Acrylic Tube



TUBCL6	6mm x 2m
TUBCL10	10mm x 2m
TUBCL12	12mm x 2m
TUBCL25	25mm x 2m
TUBCL50	50mm x 2m
TUBCL60	60mm x 2m
TUBCL100	100mm x 2m

Fluorescent Acrylic Rod



RODFL4	4mm x 2m
RODFL6	6mm x 2m



Full Laser Cutting & Engraving Service Available
 From boat screens to key rings
 Call 01326 376030 for more information














Bison Adhesive	Code
25ml Clear Hard Plastic Adhesive	BISON















Ventilation

COLOUR GUIDE

Bl = Black, B/S = Buff/sand, T = Terracotta, W = White, Br = Brown,






	Details	Code
HIT & MISS 9" x 3"	 Size: 241mm (L) x 89mm (H) Free Air Space: 8800mm ² per unit Colours: W	AIRHM93
HIT & MISS 9" x 6"	 Size: 241mm (L) x 165mm (H) Free Air Space: 17760mm ² per unit Colours: W	AIRHM96
HIT & MISS 9" x 9"	 Size: 241mm (L) x 241mm (H) Free Air Space: 26500mm ² per unit Colours: W	AIRHM99
LOUVRE VENTILATOR with FLYSCREEN 9" x 3"	 Size: 241mm (L) x 89mm (H) Free Air Space: 6600mm ² per unit Colours: (Vent) W (Flyscreen) W	AIRRVH93M
LOUVRE VENTILATOR with FLYSCREEN 9" x 6"	 Size: 241mm (L) x 165mm (H) Free Air Space: 13300mm ² per unit Colours: (Vent) W (Flyscreen) W	AIRRVH96M
LOUVRE VENTILATOR with FLYSCREEN 9" x 9"	 Size: 241mm (L) x 241mm (H) Free Air Space: 20000mm ² per unit Colours: (Vent) W (Flyscreen) W	AIRRVH99M
METAL LOUVRE VENTILATOR 12" x 12"	 Size: 300mm (L) x 300mm (H) Free Air Space: 27137mm ² per unit Colours: Aluminium	BM365
WEEP HOLE DUCT	 Size: 100mm (L) inc hood x 75mm (H) x 10mm (W) Colours: Bu, T	WEEP
AIR BRICK	 Size: 215mm (L) x 66mm (H) x 58mm (D) Free Air Space: 7200mm ² per unit Colours: Bu, T	AIRB
UNDERFLOOR VENTILATOR	 Size: 218mm (W) x 250mm (D) x 368mm (H) fully extended with airbrick fitted Free Air Space: 7750mm ² per unit Colours: Bl	ZEDV
HORIZONTAL ADAPTOR	 Size: 215mm (L) x 67mm (H) x 49mm (D) (excl. tube connector) x 101mm (Dia.) Free Air Space: 5980mm ² per unit Colours: Bl	HOOV
TRICKLE VENTILATOR	 Size: 440mm (L) x 24mm (D) x 22mm (H) Free Air Space: 4000mm ² per unit Colours: W, Br	TRICK440
TRICKLE VENTILATOR	 Size: 230mm (L) x 24mm (D) x 22mm (H) Free Air Space: 2000mm ² per unit Colours: W, Br	TRICK230

	Details	Code
FLEXIBLE DUCT	 Size: 125mm (Dia) x 3m (L) Size: 100mm (Dia) x 3m (L) Colours: W	AIRFDS5B3 AIRFDS4B3
FLAT CHANNEL DUCT	 Size: 1500mm (L) x 100mm (W) x 55mm (H) Colours: W	AIRDS415
FLAT CHANNEL CONNECTOR	 Push fit connection to Flat Channel Duct Colours: W	AIRDS420
FLAT CHANNEL CLIP	 Clips to Flat Channel Duct and secures with screws to other surfaces Colours: W	AIRDS422
90° VERTICAL BEND	 Connects to Flat Channel Duct and allows a 90° change of direction Colours: W	AIRDS450
90° HORIZONTAL BEND	 Connects to Flat Channel Duct and allows a 90° change of direction Colours: W	AIRDS460
90° ELBOW CONNECTOR	 Connects to Flat Channel Duct to 100mm tubing Colours: W	AIRDS430
SHORT ROUND TO RECTANGULAR ADAPTOR (MALE)	 Converts Flat Channel Duct to 100mm tube for attachment to Backplate Colours: W	AIRDS470
EXTERNAL COWL	 External cowl assembly with spigot box Colours: W, Br	AIRT4MLC AIRT4RFC
LOUVRED TERMINAL VENT	 Universal for circular and rectangular ducting Colours: W, Br	AIRT4ML
GRAVITY FLAP TERMINAL VENT	 Universal for circular and rectangular ducting Colours: W, Br	AIRT4MF
ALL PURPOSE AIRCORE	 Reduces light and draft Size: Tube 127mm (Dia) x 358mm (L) Effective Free Area: 7300mm ² per unit max Colours: (External Grille) W, Br (Internal Grille) W, Br	AIRGAS8

COLOUR GUIDE

Bl = Black, B/S = Buff/sand, T = Terracotta, W = White, Br = Brown,

	Details	Code
	VENTILATED STRIP Size: 2440mm (L) x 42mm (W) x 24mm (H) Free Air Space: 25294mm ² per length Equal to continuous venting gap: 10mm wide Colours: W, Br	SVW
	FLAT SOFFIT STRIP Size: 2440mm (L) x 76mm (W) Free Air Space: 25294mm ² per length Equal to continuous venting gap: 10mm wide Colours: W, Br	SVF
	EAVES PROTECTOR Size: 1500mm (L) x 200mm (D) Colours: Bl	EP15
	CONTINUOUS COMB FILLER Size: 1000mm (L) x 18mm (D) (fixing strip) x 54mm (H) Colours: Bl	COMB
	REDUCER Size: 5" to 4" Reducer Colours: W	AIRDS544
	REDUCER Size: 6" to 5" Reducer Colours: W	AIRDS644
	Use in conjunction with AIRDS544 to create a 6" to 4" Reducer	

	Details	Code
	TWIST & LOCK VENTILATOR Size: 70mm (internal Dia.), 83mm (External Dia.) Free Air Space: 2358mm ² per unit Equal to continuous venting gap: 10mm wide (fitted at 230mm centres) Colours: W, Br	SVR
	OVER FASCIA VENTILATOR Size: 1000mm(L)x35mm(W)x18mm(H) Free Air Space: 10000mm ² per length Equal to continuous venting gap: 10mm wide Colours: Bl	G1200N
	LOW PITCH OVER FASCIA VENTILATOR Size: 1000mm(L)x50mm(W)x35mm(H) Free Air Space: 25000mm ² per length Equal to continuous venting gap: 25mm wide Colours: Bl	G2500N
	RAFTER ROLL VENTILATOR Size: 6000mm(L)x320mm(W)x50mm(H) Free Air Space: 100000mm ² per L Equal to continuous venting gap: 10mm wide and 25mm wide Colours: Bl	G500
	FELT LAP VENT Size: 275mm x 193mm Air Flow: 3000mm ² Retro fit Loft Ventilator	G630

Hygienic Cladding

FOAMED PVC HYGIENIC CLADDING

■ For use in Kitchens, Showers, Bathrooms etc. ■ Easy to clean. ■ Easy to install. ■ Economical. ■ Class 1 Fire Rated. ■ Can be applied to any solid surface – block, brick, plaster – by gluing, by riveting or both. ■ Easily fitted joints and corners make for a complete wipedown finish.



For details of Sealants and Adhesives please see pages 32 & 33

WHITE FOAM PVC*


	3mm Code	5mm Code	10mm Code
610mm x 610mm (2' x 2')	FOA223W	FOA225W	FOA2210W
610mm x 1220mm (4' x 2')	FOA423W	FOA425W	FOA4210W
1220mm x 1220mm (4' x 4')	FOA443W	FOA445W	FOA4410W
2440mm x 1220mm (8' x 4')	FOA843W	FOA845W	FOA8410W

COLOURED FOAM PVC


	3mm Code	5mm Code
610mm x 610mm (2' x 2')	FOA223C	
1220mm x 1220mm (4' x 4')	FOA443C	
2440mm x 1220mm (8' x 4')	FOA843C	FOA845C




Division Bar (white only)	Code
Rigid PVC – 8' length	DIVBAR8




Inside Corner (white only)	Code
Rigid PVC – 8' length	INCOR8



Capping Strip (white only)	Code
Rigid PVC – 8' length	EDGCAP8



Outside Corner (white only)	Code
Rigid PVC – 8' length	OUTCOR8





High impact thermoplastic rivets are ideal for fixing hygienic or decorative cladding and suitable for most substrates

Rivets per pack (100)	Code
25mm White Thermoplastic Rivets	RIVET25
40mm White Thermoplastic Rivets	RIVET40

Multipanel The Luxury Alternative to Tiling

We have a majority of the colours on display in our showroom



Product	Code
2400mm x 598mm HYDROLOCK PANEL	MP0598T&G
2400mm x 880mm HYDROLOCK PANEL	MP0900T&G
2400mm x 1180mm HYDROLOCK PANEL	MP1200T&G
2400mm x 598mm PLAIN EDGE PANEL	MP0598
2400mm x 900mm PLAIN EDGE PANEL	MP0900
2400mm x 1200mm PLAIN EDGE PANEL	MP1200
	Satin Black/White
INTERNAL CORNER	MPSAA MPWHA
EXTERNAL CORNER	MPSAB MPWHB
H JOINT	MPSAD MPWHD
END CAP	MPSAC MPWHC

Multipanel is a WBP plywood core panel bonded with a choice of 90 beautiful laminate finishes. With Multipanel you can create a shower cubicle, kitchen splash back or broad expanses of beautiful walling in a fraction of the time taken by conventional methods.

The panels can be applied to timber battens or directly bonded to the wall using a high grab adhesive. Hydro-lock edge joints allow a tight connection between panels and watertight sealing is achieved using silicone sealant to all joints.

Multipanel offers a 15 year warranty*


Tilepanel Mosaic & Brick Effects in Waterproof Panels



Tilepanel is the tactile space saving solution for wet areas, allowing you to create an attractive tile effect quickly and easily. Tilepanel is designed with simulated tile patterns to give that authentic feel.

Tilepanel is available in a range of different colours, styles and finishes.

Product	Code
2400mm x 1200mm PANEL	MPTILE
INTERNAL CORNER (Satin)	MPTSAI
EXTERNAL CORNER (Satin)	MPTSAH
H JOINT (Satin)	MPTSAG
END CAP (Satin)	MPTSAF



Twinfloor The Floating Waterproof Vinyl Floor



Product	Code
1.84sqm CLICK FLOORING	FLMCLICK

Our Click range of floorings are the simplest way to achieve striking wood and twin effects without specialist fitting and difficult gluing techniques. They require no adhesive as the tiles and planks click to each other and not the floor, meaning they can be repositioned for the perfect fit. Quieter and warmer underfoot than ceramics, laminates and wood, Twinfloor is easier to clean and has a tough protective layer for extra durability.

Geo-Panel Decorative Cladding



The **Geo-Panel Wide** interior decorative panelling range is 1m wide, 2.4m high and is perfect for bathroom shower applications.

1m x 2.4m x 10mm **PANEL**


DECOGEO

This unique 1m width of the Geo-Panel Wide panels ensures that they can be installed in shower units quicker and easier than other panelling or tile product on the market today. The range now available in 18 colours all of which are available to view in our showroom. Geo-panel Wide comes with a complete range of aluminium trims in white and silver to ensure a neat and professional installation.




White Marble Gloss

Storm Grey Diamond



Arctic Sparkle

White Diamond



Beige Concrete Matt

Grey Concrete Matt



Black Marble

Light Grey Marble




Beige Marble

Travertine



White

Black Diamond




Pergamon

Silver Metallic




External Corner



End 'U' Cap



Internal Corner



'H' Joint Trim


PROFILES

- 2.4m **EXTERNAL CORNER** White
- 2.4m **INTERNAL CORNER** White
- 2.4m **END 'U' CAP** White
- 2.4m **'H' JOINT TRIM** White
- 2.4m **EXTERNAL CORNER** Silver
- 2.4m **INTERNAL CORNER** Silver
- 2.4m **END 'U' CAP** Silver
- 2.4m **'H' JOINT TRIM** Silver

- DECOAGEOEXW
- DECOAGEOIXW
- DECOAGEOEUW
- DECOAGEOHJW
- DECOAGEOEXS
- DECOAGEOIXS
- DECOAGEOEUS
- DECOAGEOHJS

NB: Abrasive cleaning products must not be used. PVC will react to certain solvent adhesives. The use of masking or other tapes on the printed surface of the product is not advisable as the printed pattern may be removed. The installation of decorative cladding in front of or adjacent to a heat source (cooker, fire etc) is not recommended as some distortion may occur.

Polycarbonate Roofing Sheets




All codes shown are for Clear sheets (16mm & 25mm available in Bronze or Opal). For Bronze replace the C with B. For Opal replace the C with O.

Aluminium Rafter Glazing System

For use when installing Polycarbonate sheets or Glass units on wooden rafters

Aluminium powder coated glazing cappings with clip in bead to seal and cover screw fixings. These glazing bars are suitable for polycarbonate sheets or glass.

Dimensions L x W	10mm Twinwall	16mm Triplewall	25mm Multiwall
2.0m x 600mm	20600/10C	20600/16C	20600/25C
2.0m x 700mm	20700/10C	20700/16C	20700/25C
2.0m x 1050mm	20105/10C	20105/16C	20105/25C
2.0m x 1200mm	20120/10C	20120/16C	20120/25C
2.0m x 2100mm	20210/10C	20210/16C	20210/25C
2.5m x 600mm	25600/10C	25600/16C	25600/25C
2.5m x 700mm	25700/10C	25700/16C	25700/25C
2.5m x 1050mm	25105/10C	25105/16C	25105/25C
2.5m x 1200mm	25120/10C	25120/16C	25120/25C
2.5m x 2100mm	25210/10C	25210/16C	25210/25C
3.0m x 600mm	30600/10C	30600/16C	30600/25C
3.0m x 700mm	30700/10C	30700/16C	30700/25C
3.0m x 1050mm	30105/10C	30105/16C	30105/25C
3.0m x 1200mm	30120/10C	30120/16C	30120/25C
3.0m x 2100mm	30210/10C	30210/16C	30210/25C
3.5m x 600mm	35600/10C	35600/16C	35600/25C
3.5m x 700mm	35700/10C	35700/16C	35700/25C
3.5m x 1050mm	35105/10C	35105/16C	35105/25C
3.5m x 1200mm	35120/10C	35120/16C	35120/25C
3.5m x 2100mm	35210/10C	35210/16C	35210/25C
4.0m x 600mm	40600/10C	40600/16C	40600/25C
4.0m x 700mm	40700/10C	40700/16C	40700/25C
4.0m x 1050mm	40105/10C	40105/16C	40105/25C
4.0m x 1200mm	40120/10C	40120/16C	40120/25C
4.0m x 2100mm	40210/10C	40210/16C	40210/25C
5.0m x 1200mm	50120/10C	50120/16C	50120/25C
5.0m x 2100mm	50210/10C	50210/16C	50210/25C
6.0m x 1200mm	60120/10C	60120/16C	60120/25C
6.0m x 2100mm	60210/10C	60210/16C	60210/25C












- 1 Aluminium 'F' Section with aluminium rafter bar
- 2 Aluminium rafter bar.
- 3 Edge bar end plate.
- 4 PVC end closure with ventilation cavity and drainage holes (note antidust tape must be fitted to sheet ends).
- 5 PVC end plate.

*Install sheets with ribs running vertically
Maximum rafter centres 10mm = 700mm, 16mm = 1050mm, *
25mm = 1200mm*

** Up to 4m. Over 4m 700mm max.
Minimum recommended roof pitch 10° on all thicknesses.*

Glazing Bars & Accessories

	Length	White Code	Brown Code	
SNAP-FIX ALUMINIUM PVC GLAZING BAR For 10mm, 16mm & 25mm sheet 	2.0m	RB20W	RB20B	
	2.5m	RB25W	RB25B	
	3.0m	RB30W	RB30B	
	4.0m	RB40W	RB40B	
	5.0m	RB50W	RB50B	
	6.0m	RB60W	RB60B	
	ALUMINIUM RAFTER SYSTEM For any thickness glazing 	2.4m	CAP5024W	CAP5024B
3.0m		CAP5030W	CAP5030B	
3.6m		CAP5036W	CAP5036B	
4.8m		CAP5048W	CAP5048B	
6.0m		CAP5060W	CAP5060B	
ALUMINIUM 'F' SECTION 		10mm	3.0m	AF103W
	4.0m		AF104W	AF104B
	5.0m		AF105W	AF105B
	6.0m		AF106W	AF106B
	16mm	3.0m	AF163W	AF163B
		4.0m	AF164W	AF164B
		5.0m	AF165W	AF165B
		6.0m	AF166W	AF166B
	25mm	3.0m	AF253W	AF253B
		4.0m	AF254W	AF254B
		5.0m	AF255W	AF255B
		6.0m	AF256W	AF256B
SELF SUPPORTING BAR For 16mm & 25mm only 	2.0m	EC020W		
	2.5m	EC025W		
	m	EC030W	HD30RW	
	m	HD35W	HD35RW	
	m	HD40W	HD40RW	
	m	HD60W	HD60RW	

	Length	White Code	Brown Code
UNIVERSAL EDGE BAR 	2.0m	ED20W	ED20RW
	2.5m	ED25W	ED25RW
	3.0m	ED30W	ED30RW
	3.5m	ED35W	ED35RW
	4.0m	ED40W	ED40RW
	6.0m	ED60W	ED60RW
	PVC SHEET END CLOSURES 	10mm	SC10W
16mm		SC16W	SC16B
25mm		SC25W	SC25B
ALUMINIUM SHEET END CLOSURES 	10mm	ASC10W	ASC10B
	16mm	ASC16W	ASC16B
		Size	Code
ALUMINIUM ANTI DUST TAPE  per metre	10/16mm	BRT10/16	
	25mm	BRT25	
NYLON FIXING BUTTONS C/W WASHER & SCREW 	10mm	FXBT10W	FXBT10B
	16mm	FXBT16W	FXBT16B
	25mm	FXBT25W	FXBT25B
LOW MOD NEUTRAL CURE SILICONE SEALANT	per tube	LMCL	LMWH
WHITE BUTYL FLASHING 150mm GREY BUTYL FLASHING 150mm	per metre	BUTFLW	BUTFLG
	per metre		
EXPANDING FOAM EAVES FILLER	4m roll	EXFO	

Vistalux & Corolux Corrugated PVC

Vistalux and Corolux sheeting is the ideal general purpose PVC sheet for roofing and cladding. Light in weight, quick and easy to install. 10 year warranty*.

VISTALUX 3" ASB*	
BS SUPERWEIGHT	■ (1.3mm) ■ Cover width 651mm (255/8")
Code	Length
COR3/6	1830mm / 6ft
COR3/7	2135mm / 7ft
COR3/8	2440mm / 8ft
COR3/9	2745mm / 9ft
COR3/10	3050mm / 10ft
COR3/12	3660mm / 12ft
	*ASB matches asbestos profile

VISTALUX 6" ASB*	
BS SUPERWEIGHT	■ (1.3mm) ■ Cover width 1016mm (40")
Code	Length
BIG6/6	1830mm / 6ft
BIG6/8	2440mm / 8ft
BIG6/10	3050mm / 10ft
	*ASB matches asbestos profile

VISTALUX LIGHTWEIGHT	
CLEAR	■ (0.8mm) ■ Cover width 651mm (255/8")
Code	Length
CORLW3/6	1830mm / 6ft
CORLW3/8	2440mm / 8ft
CORLW3/10	3050mm / 10ft

COROLUX MINIATURE	
TRANSLUCENT	■ (0.8mm) ■ Cover width 603mm (233/4")
Code	Length
MIN/6	1830 / 6ft
MIN/8	2440 / 8ft

PVC ACCESSORIES	
FIXINGS	
Code	Description
MINIFIX	Miniature Profile Fixings (pack of 10)
CORFIX	3" Super Fixings (pack of 10)
BIGFIX	6" Fixings (pack of 10)

FLASHINGS		
Code	Description	Width mm
CORWAL	3" Wall Flashings Clear PVC	695
MINIWF	Miniature Wall Flashings Clear PVC	710

EAVES FILLER		
Code	Description	Width mm
COREAV	3" Polyethylene Eaves Filler	680
MINIEAV	Miniature Polyethylene Eaves Filler	690
BIGEAV	6" Polyethylene Eaves Filler	950
	<i>Polyethylene, closed cell</i>	




Coroline Corrugated Bitumious Roofing Sheet


Coroline corrugated bitumen sheet is a tough lightweight roofing and cladding material made from bitumen saturated organic fibres. Tough and long lasting. Economical and easy to fix. Guaranteed* waterproof for 15 years.

COROLINE	
COROLINE BLACK	
Code	Description
CBS	Black Sheet
CBR	Black Ridge - 900mm wide
74502	Black Fixings (pack of 20)
COROLINE GREEN	
Code	Description
CGS	Green Sheet
CGR	Green Ridge - 900mm wide
74522	Green Fixings (pack of 20)
COROLINE RED	
Code	Description
CRS	Red Sheet
CRR	Red Ridge - 900mm wide
74512	Red Fixings (pack of 20)
COROLINE BROWN	
Code	Description
CBRS	Brown Sheet
CBRR	Brown Ridge - 900mm wide
74512	Brown Fixings (pack of 20)
COROLINE MISCELLANEOUS ITEMS	
Code	Description
74575	Polyethylene Eaves Fillers - 840mm wide
74200	Translucent PVC Sheet 2000mm x 960mm (1.2mm thick)
COROLINE SHEET DIMENSIONS	
Sheet size	2000mm x 950mm
Cover width	855mm
Thickness	2.6mm
Sheet weight	5.6kg
Material weight	2.9kg/m ²
Corrugation	38mm height 95mm width

Note: Dimensions / specifications may vary slightly (+/-)



Corotile Metal Roofing System



Corotile is a Lightweight Metal Roofing System, ideal for small building projects. Installation is quick and easy with no need for cutting. Each component is designed to overlap and be screw-fixed together. A Corotile roof is expected to last in excess of 20 years and comes with a 15 year guarantee*



COROTILE

Corotile Sheet 1140mm x 860mm	CTPANEL
Barge Board	CTBARGE
Ridges	CTRIDGE
Ridge End Cap	CTCAP
Screw and Washer Fixes	CTFIX

Sealants & Adhesives

We stock a large range of sealants & adhesive in store including the following.



LOW MODULUS NEUTRAL SILICONE

LOW MODULUS NEUTRAL

Colours: Brilliant white, Translucent.

Pack size: 310ml

Code: LM

Fast curing, durable and flexible low modulus neutral cure silicone sealant offering high movement accommodation and excellent adhesion to most building materials.



CONTRACTORS' ACETOXY SILICONE

HIGH MODULUS ACETOXY SILICONE

Colours: White, Translucent, Black, Brown, Grey

Pack size: 310ml

Code: HM

Fast curing, durable, long lasting and flexible high grade silicone sealant. Good adhesion to glass and glazed surfaces, some metals and many plastics.



PU FOAM

IN-SITU POLYURETHANE FOAM AND SOLVENT CLEANER

Pack size: Nozzle Grade 750ml

Gun Grade 750ml

Fire Rated 750ml

Code: HAFO

GUFO

FF197

One-component PU foams in a pressurised cannister. The liquid PU expands on application and cures through moisture absorption. Excellent adhesion to most substrates and good thermal and acoustic insulation characteristics. Over-paintable.



FIX & FIT ADHESIVE SEALANT SP POLYMER

Colour: White

Pack Size: 310ml

Code: SP036

SP036 provides a strong and flexible bond for typical fit out applications such as skirting boards, panels, signage and other fixtures & fittings.



MITRE KIT

CYANOACRYLATE ADHESIVE SUPERGLUE AND ACTIVATOR

Pack size: Supplied in kits of 50g adhesive + 200ml activator

Code: MITRE

For making quick, clean and strong joints on woods (including MDF), rubbers, plastics, ceramics and metals.



ACRYLIC SEALANT

Colours: 310ml White.

Packaging: 310ml

Code: DECO

Gap filler and decorators caulk. A one-part flexible acrylic emulsion joint sealant providing an economic solution for low movement joints. Can be painted or papered over. Incorporates a fungicide.



SOLVENT CLEANER

Dual purpose Solvent Cleaner is used for purging the gun applicator and cleaning nozzle.

Pack size: 500ml

Code: GUCL



INDUSTRIAL GLASS CLEANER

Pack size: 1 litre

Code: GLCL

Cleans and polishes shiny surfaces. A concentrated blend of cleaners, penetrants and polishing fluids. Fast evaporating solvent solution leaves a sparkling clean finish.



PVCu CREAM CLEANER AND RENOVATOR

Pack size: 1 litre

Code: CRCL

Removes stubborn stains. Renovates dirty and scuffed hard surfaces such as PVCu. Solvent-free, fast-acting gentle abrasive action.



PVCu FRAME CLEANER

Packaging: 1 litre

Code: FRCL

Removal of stains and grease. Solvent formulation to dissolve grease, grime, marks and fingerprints from PVCu frames and panels. Cleans and polishes.



CYANOACRYLATE ADHESIVE

GENERAL PURPOSE CYANOACRYLATE ADHESIVE SUPERGLUE

Pack size:

20g

Code:

WEFI

A medium viscosity grade.



STIXALL

MULTI-PURPOSE SEALANT & ADHESIVE

Colours: Black, Grey, Brown, White, Clear.**Pack size:** 290ml**Code:** EVE122

The ultimate combined building adhesive and sealant with extreme power to both bond and seal virtually everything to anything in almost all conditions, even underwater or in the rain. It is resistant to chemicals and petrol, has a high bonding strength, is solvent free, over paintable and has a biocide preventing mould growth. Stixall can be applied to wet surfaces, is resistant to extremes of temperature and is totally flexible.

**STELMAX GAP FILLER**

PVCu GAP FILLER

Colour: Bright White**Pack size:** 310ml**Code:** 1961

A one-component cartridge applied bright white adhesive/filler for sealing and masking joints in PVCu cladding, fascia, bargeboards, soffit, window and doorframes.

**MAMMOTH 25MM DOUBLE SIDED TAPE****Pack size:**

25mm x

2.5m

Code:

EVE115

**MAMMOTH 50MM DOUBLE SIDED TAPE****Pack size:**

50mm x

2.5m

Code:

EVE116

**FOREVER WHITE**

ANTI-BACTERIAL SEALANT

Colours: White, Clear, Ivory.**Pack size:** 310ml**Code:** EVE118

Forever White is a superior silicone sealant. Permanently waterproof and flexible, suitable for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins.

**SEAL-IT ROOF & GUTTER SEALANT**

BITUMEN FREE

Colour: Black**Pack size:** 310ml**Code:** GUTSEAL

A long lasting flexible butyl sealant. It is ideal for repairing and maintaining roofs, gutters and downpipes, flashing and roofing felt.

**INDUSTRIAL WIPES****Pack size:** 80 Wipe

Tub

Code: WIPES**GAFFA TAPE****Pack size:**

50mm x 50m

Code:

FAITAPEGAFS

**MASKING TAPE**


25mm x 50m Roll

Code:

FAITAPEMAS25

**UPVC CLEANER****Pack size:** 3litres**Code:** PVC3

UPVC Cleaner is a multipurpose hard surface cleaner, which is highly concentrated. It removes grease and grime, dirt and algae, and may be diluted with hot or cold water. Can be used on most surfaces including UPVC, paint work, stainless steel, plastic vinyl, ceramic, glass. It has no abrasive properties so will not damage any surfaces being treated.

**FLASHING TAPE**

SELF ADHESIVE REPAIR TAPE

10m rolls**width:** 100mm 150mm 225mm 300mm**Code:** FLA100 FLA150 FLA225 FLA300

Reflective aluminium foil coated with a thick self-adhesive layer of rubber modified bitumen. Excellent adhesion and weatherproofing qualities.

**STERISTICK****Pack size:** 6.5kg**Code:** TUB65

2 part Polyurethane Adhesive

**WD40 AEROSOL****Code:**

WD40

Silicone free, Displaces moisture, Cleans and Protects

**CAUTION WATER PIPE TAPE**

155mm x 365m

Code:

FAITAPEUWAT

**3 IN 1 SILICONE SPRAY****Code:**

3-IN-ONE

Provides a long lasting and quick drying silicone coating which is formulated for use on metal, rubber, wood and vinyl. It protects electrical parts and is perfect for wet environments and marine use.

**TWIN PLY GLASS WIPE ROLL****Pack size:** 6 Pack**Code:** TISSUE82**PU FOAM APPLICATORS****Code:** FOGU

Quality metal gun. Lightweight but robust construction with comfortable handgrip. Incorporates flow regulator and safety control.

**SEALANT APPLICATORS****Code:** SK (425ml)

Artificial Grass

Our leading range of synthetic turf is ideal for the replacement of garden lawns to transform roof gardens, play areas, patios, pool surrounds, decking and balconies. The products are suitable for commercial and domestic use. Using high grade yarns, the products deliver excellent durability levels, yet are soft to the touch, to create that amazing real looking natural lawn. The perfect artificial grass for all round applications. Practical and hardy with a natural look texture.



	CODE	DESCRIPTION
	GRASS30	Lido Plus Artificial Grass 4m x 1m
	GRASSE	Interlocking Edging 1m
	GRASSM	Weed Membrane 2m x 1m
	GRASST	Joint Tape 10m Roll
	GRASSG	Joint Glue Coverage 3.5 Linear metres


Composite Decking



Our composite decking is made from a combination of 60% recycled wood and 40% recycled polyethylene, making it the greener option for your garden. Our plastic decking looks incredibly natural and just like wood, with a consistent colour and texture. Likewise, as our composites run through the whole board, our products are incredibly easy to cut and sand. As well as being environmentally friendly, all of our decking is low maintenance and incredibly durable due to its composite properties. It is also UV stable and suitable for a variety of outdoor uses. Composite decking is robust and versatile and can be used around swimming pools, on balconies, as caravan decking and more. Deck boards will not rot and have a safe, anti-slip groove. Installation is made easy with our stainless-steel concealed clips that ensure a smooth, bare-foot friendly surface. 10 Year Warranty*

CODE	DESCRIPTION
DECK#1	5m Dual Face Decking Plank
DECK#2	5m Angle Trim
DECK#3	5m Subframe
DECK#4	Plastic Fixing Clip
DECK#5	Stainless Steel Intermediate Clip
DECK#6	Stainless Steel Starter Clip

Available in 5 lovely colours.



We offer a reversible board so you can now choose between a Woodgrain pattern or a more traditional grooved look.

Miscellaneous



GALVANISED WHEELBARROW	CODE
85L / 3 cu ft Capacity	T101



POLYPROPYLENE WHEELBARROW	CODE
90L Capacity	T100



BIRDS PIKES	CODE
500mm 2 Spike (Pack 10)	SILVER16


Gutter Brush



TWISTER	CODE
Black Gutter Brush 4m	TWISTERB
White Gutter Brush 4m	TWISTERW
Gutter Brush Clips (Pack 20)	TWISTCLIP

Stainless Steel Screws

CODE	DESCRIPTION	SIZE	TYPE
25X6ST/ST	1" Stainless Steel Screws (100)	6	Countersunk
32X6ST/ST	1¼" Stainless Steel Screws (100)	6	Countersunk
25X8ST/ST	1" Stainless Steel Screws (100)	8	Countersunk
32X8ST/ST	1¼" Stainless Steel Screws (100)	6	Countersunk
40X8ST/ST	1½" Stainless Steel Screws (100)	8	Countersunk
50X8ST/ST	2" Stainless Steel Screws (100)	8	Countersunk
65X8ST/ST	2½" Stainless Steel Screws (100)	8	Countersunk
25X10ST/ST	1" Stainless Steel Screws (100)	10	Countersunk
32X10ST/ST	1¼" Stainless Steel Screws (100)	10	Countersunk
40X10ST/ST	1½" Stainless Steel Screws (100)	10	Countersunk
50X10ST/ST	2" Stainless Steel Screws (100)	10	Countersunk
65X10ST/ST	2½" Stainless Steel Screws (100)	10	Countersunk
65X12ST/ST	2½" Stainless Steel Screws (100)	12	Countersunk
25X8PAN	1" Stainless Steel Screws (100)	8	Pan Head
32X8PAN	1¼" Stainless Steel Screws (100)	8	Pan Head
40X8PAN	1½" Stainless Steel Screws (100)	8	Pan Head



CAVITY CLOSER	CODE
Cavity Closer 100mm x 2.44m	G247M
Cavity Closer 150mm x 2.44m	G247M15

Sundries



CODE	DESCRIPTION
T111	4m x 5m Tarpaulin
T112	Heavy Duty Polythene Sheet 3m x 4m
T113	250MU Polythene DPM 4m x 5m
T114	Rubble Sacks 535mm x 820mm (10)
T115	Landscaping Membrane 2m x 6m
DPC300	300mm x 30m Polythene DPC
DPC450	450mm x 30m Polythene DPC

Nylon Fixings



CODE	DESCRIPTION
HEXM4	M4 Nylon Nut & Bolt Pack 10
HEXM5	M5 Nylon Nut & Bolt Pack 10
HEXM6	M6 Nylon Nut & Bolt Pack 5
HEXM8	M8 Nylon Nut & Bolt Pack 5



CODE	DESCRIPTION
PLUGB	Brown Wall Plugs (100)
PLUGBL	Blue Wall Plugs (100)
PLUGR	Red Wall Plugs (100)
PLUGY	Yellow Wall Plugs (100)

Garden & Storage Products



WATERBUTTS

Made from 75% recycled material. Extremely durable. Supplied with lid, draw-off tap and stand.

Capacity litres	Diameter mm	Height mm	Weight Kg	Code
100	380	920	3.4	BUTT100
200	610	920	5.2	BUTT200



DIVERTER KIT

Diverts water from a downpipe to selected container.

Code
BUTTDIV

WATERBUTT STAND

Easy access for filling watering cans and buckets.

Height mm	Diameter mm	Weight Kg	Code
380+	700	4.8	BUTTST


† suitable for 330 litre garden lake waterbutt



TUFFSPOT

Easy clean mixing tray, extremely durable.

Diameter mm	Weight Kg	Code
1016	3.1	TUFF



PLASTERER'S BUCKET

Capacity litres	Code
30	BM195



FLEXI TUBS

Colour	Capacity litres	Code	Capacity litres	Code
Yellow	20	BM5/20	40	BM5/40
Red	20	BM5/20	40	BM5/40
Orange	20	BM5/20	40	BM5/40
Pink	20	BM5/20	40	BM5/40
Lilac	20	BM5/20	40	BM5/40
Blue	20	BM5/20	40	BM5/40
Green	20	BM5/20	40	BM5/40
Black	20	BM5/20	40	BM5/40



BUCKETS

Capacity litres	Height mm	Diameter mm	Colour	Code
14	310	300	Yellow	BM69/1
14	310	300	Black	BM18

WHEELED BINS


Capacity litres	Height mm	Width mm	Depth mm	Code
140	970	480	563	T104
240	1085	570	730	T105



Ideal for containing garden or household waste, as a store for garden equipment or for transporting building materials on site. Designed for durability and ease of use. Can be lifted by most types of bin hoist equipment.

STORM CRATE

Length mm	Colour	Code
1200	BLACK	BRRB33



- Cellular rainwater attenuation modules
- Lightweight and easy to install in up to 10 layers
- Ideal for domestic soakaways
- Cost-effective and space saving
- 3.3 StormCrates per 1m³ storage capacity
- High strength crate with lorry bearing of up to 60 tonnes

Hi-Vis Workwear



CODE	DESCRIPTION
SCAN01	Hi-Vis Motorway Jacket
SCAN02	Hi-Vis Bomber Jacket
SCAN06	Hi-Vis Polo Shirt
SCAN03	Hi-Vis Men's Waistcoat
SCAN04	Hi-Vis Women's Waistcoat
SCAN05	Hi-Vis Child's Waistcoat
SCAN07	Hard Hat
SCAN11	Scan Gloves Orange/Black
SCAN08	Hi-Vis Back Pack
SCAN09	Hi-Vis Flashing Arm Bands
SILVER15	Dust Mask
CODE	DESCRIPTION
BOL1	Contour Smoke Safety Glasses
BOL2	Contour Clear Safety Glasses
BOL3	Silium Smoke Safety Glasses
BOL4	Silium Clear Safety Glasses
BOL5	Tracker Smoke Safety Glasses



Tools


CODE	DESCRIPTION
SILVER14	Lead Dresser
T012	Nylon Thor Hammer 38mm
T015	Stanley Knife 99E
FAITKB10	Stanley Knife Blades (10)
FAIHK58AF	Hex Key Set Imperial
FAIHK58M	Hex Key Set Metric
FAISB1PZ502T	No1 Pozi Screwdriver Bits (3)
FAISB2PZ502T	No2 Pozi Screwdriver Bits (3)
FAISB3PZ502T	No3 Pozi Screwdriver Bits (3)
T064	22" Hand Saw
T065	360mm Hand Saw
T068	22" Barracuda Saw
T066	5m Tape Measure
FAIHS300AV	Hacksaw
SILVER6	Disposable Latex Gloves (100)
SILVER2	Mixed Packers
FAIJB118B	Jigsaw Blades
SILVER13	Pipe Cutters




Holesaws

CODE	DESCRIPTION
FAIHS1630	Holesaw Arbor 14-30mm
FAIHS32150	Holesaw Arbor 32-152mm
FAIHSVP16	16mm Holesaw
FAIHSVP20	20mm Holesaw
FAIHSVP22	22mm Holesaw
FAIHSVP25	25mm Holesaw
FAIHSVP32	32mm Holesaw
FAIHSVP35	35mm Holesaw
FAIHSVP38	38mm Holesaw
FAIHSVP44	44mm Holesaw
FAIHSVP51	51mm Holesaw
FAIHSVP54	54mm Holesaw
FAIHSVP57	57mm Holesaw
FAIHSVP64	64mm Holesaw
FAIHSVP70	70mm Holesaw
FAIHSVP76	76mm Holesaw
FAIHSVP83	83mm Holesaw
FAIHSVP111	111mm Holesaw
FAIHSVP152	152mm Holesaw

Trims & Seals


TILE TRIM, BATH SEAL, PROTECTIVE TRIM, SLIDING DOOR TRACK	Code
 PVC TILETRIM. Round edge tile protection 6mm Size: 2.5m (L) Colour: White TTSWH25 9mm Size: 2.5m (L) Colour: White TTDWH25	
 PRO SEALASTRIP. Watertight PVCu seal fixed during tiling Size: 1.85m (L) Colour: White PBS100	
 PROTECTIVE EDGINGS - External Angles 13mm x 13mm Size: 2.43m (L) Colour: White AR013W 19mm x 19mm Size: 2.43m (L) Colour: White AR019W 25mm x 25mm Size: 2.43m (L) Colour: Black AR025B 25mm x 25mm Size: 2.43m (L) Colour: White AR025W 25mm x 25mm Size: 2.43m (L) Colour: Woodgrain AR025WG 25mm x 25mm Size: 2.43m (L) Colour: Clear AR025C 32mm x 32mm Size: 2.43m (L) Colour: White AR032W 38mm x 38mm Size: 2.43m (L) Colour: White AR038W 50mm x 50mm Size: 2.43m (L) Colour: White AR050W 70mm x 70mm Size: 2.43m (L) Colour: White AR070W	
 SLIDING DOOR TRACK - 6mm. Double channel (top/btm) Size: 1.83m (L) Colour: White DT023/024	



uPVC DRYWALL & PLASTERING TRIMS	Code
 DRYWALL CORNER BEAD - 25mm Colour: White PCB03W	
 DRYWALL EDGE BEAD Colour: White PEB03W	
 DRYWALL CORNER ARCH BEAD - 25mm Colour: White PAB03W	
 RENDER CORNER BEAD - 48MM Colour: White MCB15W	

Drywall Beads are designed for thin-coat applications - plaster depths of 2-3mm. The Corner Arch Bead has enough flexibility to form a 250mm radius. Render Beads are for wet-coat use

Continuous Dry Verge System




TYPE R DRY VERGE SYSTEM
 Extruded in White uPVC suitable for most concrete roof tiles. Easily

Product	Size	Colour	Code
TYPE R EXTRUSION	5m	White	DRYV5T
VERGE CONNECTOR		White	DRYVJ
RIDGE END UNIT		White	DRYVR


fitted, it gives complete cover against water penetration on the joint between tiles and brickwork or bargeboard at gable ends and

greater security against wind damage by fixing end tiles firmly.

Verge tiles inserted into verge extrusion




Verge Connector Unit




Drainage Channel

Drain with standard slotted mesh grating



Enlarged view showing optional screw points - 4 per 1m channel.

Locking channels



The Thermoplastic linear drainage channel incorporates many unique features. It is easy to connect with a secure male/female Springlock connection to fit a run of channelling. The depth of channel is 135mm which ensures sufficient water collection to cope with most circumstances. For additional security, the Snaplock mesh grating can be locked at four points per metre.

Product	Size (L x W x H)	Colour	Code
STANDARD PVC GRATING	1000mm x 142mm x 135mm	Black	CLARK01
GALVANISED GRATING	1000mm x 142mm x 135mm	Black	CLARK07
END CAP (pair)	20mm x 75mm		CLARK02
DEBRIS TRAP)	20mm x 125mm		CLARK03

Ladders



ALUMINIUM HOP-UP

Aluminium Hop-Up provides a large flat working area. Platform height 50cm. Folds flat for carrying and storage. Max load 150kg.



ALUMINIUM PROFESSIONAL EXTENSION LADDER

Made from lightweight Aluminium, exceptionally robust and built to last. Features include high performance box-section alloy stiles, unique wrap around top clips and slip resistant rungs. Safety Certification EN131. Certified to New EN131-2, Professional

TELESCOPIC LADDER

Product	Code
2.6M TELESCOPIC LADDER	SILVER1



ALUMINIUM 3-SECTION LOFT LADDER

This 3 section sliding aluminium loft ladder is ideal in restricted spaces. This ladder is easy to use and designed for occasional use in the home. Features include a handrail and unique shoot bolt fastening for safety and ease of use. Safety Certification: BS EN14975

INDUSTRIAL SWINGBACK LADDER WITH TOOL TRAY

These steps have improved stiles and strengthened treads as well as reinforced platform inline with the new standard requirements. They include a handy plastic tool tray to hold tools and equipment while working. Certified to New EN131-2, Professional

ALUMINIUM ROOF LADDER

The roof ladder is designed especially for roofs pitched up to 55°. Fitted with ridge hook assembly, support bearers & wheels, this ladder is easily positioned and secure in use.

LADDER TYPE

ALUMINIUM HOP-UP HOP204 Platform height 50cm

LYTE EN131-2 PROFESSIONAL 2 SECTION EXTENSION LADDER (*STOCK)

NELT225	2 x 8 Rung, Closed 2.45m, Extended 3.85m.
NELT230	2 x 10 Rung, Closed 2.93m, Extended 4.90m.
NELT235	2 x 12 Rung *, Closed 3.45m, Extended 5.97m.
NELT240	2 x 14 Rung, Closed 4.04m, Extended 7.14mm.
NELT245	2 x 15 Rung, Closed 4.45m, Extended 7.81m.
NELT250	2 x 17 Rung, Closed 4.95m, Extended 8.88m.
ELT225	2 x 19 Rung, Closed 5.45m, Extended 9.92m.

LYTE EN131-2 PROFESSIONAL 3 SECTION EXTENSION

NELT325	3 x 8 Rung, Closed 2.45m, Extended 5.23m.
NELT330	3 x 10 Rung *, Closed 2.93m, Extended 6.92m.
NELT335	3 x 12 Rung, Closed 3.45m, Extended 8.48m.

LYTE INDUSTRIAL SWINGBACK STEP LADDERS WITH TOOL TRAY

4 Tread NBSBB4	Open Height 0.795m
5 Tread NBSBB5	Open Height 1.010m
6 Tread NBSBB6	Open Height 1.235m *
7 Tread NBSBB7	Open Height 1.445m
8 Tread NBSBB8	Open Height 1.620m *
10 Tread NBSBB10	Open Height 2.135m *
12 Tread NBSBB12	Open Height 2.555m

LYTE TRADE SINGLE SECTION ROOF LADDER

TRL155	1 x 21 Rung 5.46m
--------	-------------------

ALUMINIUM LOFT LADDER

3 Section LEL3	Maximum height 3 Metres
----------------	-------------------------

LADDER ACCESSORIES



RHW	Universal roof Hook
C1443A	Roof Rack Clamps
LLS	Ladder Stay
Ladderpads	Ladder Pads to avoid marking
C1006A	Articulated Ladder Feet

ALL GUARANTEES & WARRANTIES ARE SUBJECT TO ADHERENCE OF MANUFACTURERS INSTALLATION INSTRUCTIONS

PENRYN PLASTICS

Kernick Road, Kernick Industrial Estate, Penryn TR10 9LY
Telephone: 01326 376030
Email: info@penrynplastics.co.uk
Web: www.penrynplastics.co.uk


Coloured Acrylic

	Opal 803TL Nearest Alternative Plexiglass 2412 Perspex 030		Ivory 7010 Nearest Alternative Plexiglass 2765 Perspex 133		Red 106TP Nearest Alternative Plexiglass 502 Perspex 4401
	Opal 802TL Nearest Alternative Plexiglass 060 Perspex 050		Green 4020 Nearest Alternative Plexiglass 2364 Perspex 6205		Orange 202TP Nearest Alternative Plexiglass 478 Perspex 300
	Opal 8010 Nearest Alternative Plexiglass 2755 Perspex 069		Green 4010 Nearest Alternative Plexiglass 2806 Perspex 650		Blue 505TP Nearest Alternative Plexiglass 625 Perspex 7703
	Light Grey 6030 Nearest Alternative Plexiglass 9981		Yellow 3020 Nearest Alternative Plexiglass 2762 Perspex 2252		Bronze 905TP Nearest Alternative Plexiglass 2822 Perspex 504
	Black 6010 Nearest Alternative Plexiglass 811 Perspex 962		Orange 2010 Nearest Alternative Plexiglass 2769 Perspex 363		Natural 906TP Nearest Alternative Plexiglass 2828 Perspex 914
	Blue 5030 Nearest Alternative Plexiglass 2766 Perspex 750		Red 1030 Nearest Alternative Plexiglass 2801 Perspex 433		Grey 907TP Nearest Alternative Perspex 9T20
	Blue 5020 Nearest Alternative Plexiglass 612 Perspex 751		Red 1020 Nearest Alternative Plexiglass 2758 Perspex 440		Charcoal 908TP Nearest Alternative Plexiglass 2760 Perspex 923
	Blue 5010 Nearest Alternative Plexiglass 2803 Perspex 727		Cerise 1010 Nearest Alternative Plexiglass 500 Perspex 4415		

The colours shown in this brochure are as accurate as the printing process will allow. We recommend that before placing an order for coloured acrylic sheet you obtain a sample, please ask in store.

www.penrynplasticsacrylic.co.uk

Laser Cutting & Engraving



Laser cutting is precise and gives a supersmooth finished edge. Laser engraving provides detailed engraving from large images to small text. Using a contactless laser beam we are able to cut virtually any shape and engrave various materials such as acrylic, mirrored acrylic and plywood with thicknesses up to 10mm.

We can assist in bringing your ideas to fruition and are happy to help with deciding on a method or material to complete an idea. Whether it's boat windows and screens, splashbacks, bespoke gifts, lettering, numbers or just plain circles. The list is endless. We can manufacture your ideas using our bespoke laser cutting and engraving service to produce a one-off item or a large production run for your business.

